

parts, but flowers two or three weeks earlier, the buds are rounder, the spike less crowded and the separate flowers are much larger, deeper in colour, and each one has a rather conspicuous white eye. It has occurred in the vicinity of Ottawa at Eastman's, Buckingham and King's Mere, but is very rare. Mr. J. B. Goode, of Montreal, a well-known and successful collector of our native Orchis, who made an excursion to the Mere Bleue with some members of the Botanical Section, on May 28th found two or three fine plants, although at that time the spike of flowers was only just appearing. The flowers do not expand until the end of June.

*Trillium Grandiflorum*.—We give herewith a figure of a very beautiful *Trillium* which was received from our esteemed member Mrs. Chamberlin, now of Lakefield, Ont. The specimen was found on May the 1st, under a hawthorn tree in leaf mould with another young specimen. The parcel also contained a specimen of undoubted *Trillium grandiflorum*, of which the inner lobes of the perianth ("petals") were beautifully striped with green. I am inclined to think that the present specimen is a variation of *Trillium erythrocarpum*, the Painted *Trillium*, although there are some characters which tend to make this doubtful. *Trillium erythrocarpum* with both whorls of the perianth green are found from time to time in different parts of Canada and are quite abundant in some localities, particularly along the shore of Lake Erie. I have never felt quite

