

cloak, etc., on, and a carriage had been sent for. Remonstrance was of no avail, she would not listen to reason, and shortly afterwards she drove a mile, to a new place of residence. In the evening I found her none the worse, but fatigued, and cautioned her against these vagaries.

May 10th. She feels well and more contented with her new home. Bowels moved two or three times without medicine; not a bad symptom.

May 18th. Out again to a new abode, a mile in another direction. Since last report everything has gone on well and she has gained much strength. The pain has entirely left the right ovary, and it is decreasing in size, ligatures still firm and wound entirely healed except at the lower angle.

May 25th. Since her last move she has had a drive or a walk daily, her general health is very good and she returns home to-day in good health and spirits.

August 4th. As the ligatures had not come away, and taking a great interest in my little patient, I visited her at her own house. She was quite well in health, active and cheerful, but as the ligatures had not separated she feared that something was wrong. On examination I found one quite free and it came away without any force, but the other was still firm and gave great pain when pulled. It, however, came away two days afterwards, or ninety-six days after the operation. The right ovary had increased in size since she had left Toronto, being about the size of the fist, not painful, very moveable, and giving her no inconvenience. She menstruates regularly both as to time and quantity, and she considers herself as well as ever.

Remarks.—She still continues to take the Bromide. Some months afterwards I met her husband who told me that the right ovarian tumour had entirely disappeared and she was quite well.

In September, 1869, I received a letter from Mrs. W. in which she says, "when I was in Toronto I suspected only, but now I am convinced, that I am in the family way," and in the February following (1870) Mr. W. writes, "at my wife's request I have to inform you, that on the 5th inst., she was safely delivered of a healthy boy." She made a good recovery and nursed her child for thirteen months.

The tardy separation of the ligatures, left as it were, an