

tion has developed in a remarkable manner on the face, which presents the following appearance: The chin and lower lip are greatly swollen; the skin glazed-looking and pale at the peripheral parts, deeply ecchymotic at the centre. The swelling is so tense that it scarcely pits on pressure. It is painful, and movement of the lower lip is impossible. The eyelids are swollen, almost closing the eyes, and at the outer parts are becoming purpuric. On the right cheek, just below the malar prominence, is a patch the size of a cent, elevated, anæmic at the margins, ecchymotic at the centre, and looking not unlike a spot of erythema nodosum. On the same side, just above the zygoma, is a similar patch, and on the left side of the face there are four, one just above the zygoma, the other three on the cheek being those described in yesterday's note, increased in size and more œdematous, but the skin interspersed with hæmorrhages. Altogether the appearance was most remarkable, almost like what one might expect in infarction, if it took place in the skin. The rash is fading on the extremities. A fresh spot, size of a penny, has appeared on the sternum. Heart sounds normal; sweating profusely, particularly on the head. Passed only a small quantity of urine, which was not kept.

Nov. 6th.—Condition remains much the same, but many new patches on the body. The eyelids are now so swollen that they cannot be opened. The gums are swollen and spongy, and bleed on pressure.

Nov. 7th.—Pulse 104; temp. $101\frac{1}{2}^{\circ}$. Passed about 3 ozs. of urine during last 24 hours; no albumen; urine dark-colored. Swelling of face decreasing.

Nov. 8th.—Joints not so painful, though still much swollen. Pulse 90. Condition of eruption as follows: Face looks as if she were recovering from a severe beating, the greater part being "black and blue." The lower half of the ocular conjunctiva of right side is ecchymotic, having come on during the night. The eyelids of left eye, and the surrounding skin for a distance of about an inch from the lashes, is of a livid red color, not disappearing on pressure, and only slightly swollen. Lids of right eye in same condition, but staining does not extend so