An extensive employment of small spikenard in dropsy during a period of five years, has enabled me to speak of its medicinal virtues with confidence. A short description of the plant may not be out of place.

Aralia Nudicaulis, a perennial plant growing in shady woods, &c., in a rich soil from Canada to Georgia; root sometimes many feet long, yellowish brown, cylindrical, of the size of a finger, fra-

grant, possessing a warm aromatic and sweetish taste.

The range of dose of small spikenard is \(\frac{7}{3} \) Ss. to \(\frac{7}{3} \) i., of the tincture made with \(\frac{1}{3} \) oz., of the root to \(\frac{7}{3} \) xvi., of spirits, or an equally efficacious infusion may be procured by digesting, for about twelve hours, a similar quantity of the root in the same proportion of boiling water.

I will give one or two cases from my note book: Mrs. M.C., aged fifty; bad been ill for two months with anasarca and ascites. She was first ordered a strong intusion of pyrola umbellata to be

taken daily without any marked benefit.

Pyrola to be discontinued; was ordered 2 oz., of the infusion of aralia nudicaulis three or four times a day; on the second day after the administration of the medicine, "much better, swellings abated, evacuated a pailful in one night;" continued the medicine

about a week when perfectly recovered.

William D., aged thirty-seven consulted me in May last; had anasarca and ascites to a very considerable degree; he was emaciated and weak with a yellow suffusion over the whole skin; his face and back of hands were very much swelled. He had been under the care of a regular physician for some time, who gave him cream of tartar, calomel, digitalis and squills, pyrola umbellata and taraxacum, without effect. I ordered him 2 oz. of the tincture of aralia nudicaulis, three times a day, with an occasional mercurial purgative; he recovered in a short time. I could give several other cases if necessary, showing the beneficial effects of this medicine in dropsy, but I trust my professional brethren in Canada will give it a fair trial as it is easy to be procured; and should this medicine be found on further trial to act with certainty, it will be a great acquisition, as the dose is small and taste by no means disagreeable, two most important requisites in medicaments of every description; besides its dieuretic properties, it also is a useful tonic in a debilitated state of the stomach with loss of appetite.

[The following information derived from a note by Dr. Carson, the American Editor of Pereira's Materia Medica, may be read with interest in connection with the foregoing remarks of Dr. Evans. After the description given in the text of his author of the several varieties of Panax, better known to eastern nations as the Ginseng (radix ninsi), and a variety of which is also common in most drug markets as American Ginseng, Dr. C. thus describes the "ARALIA NUDICAULIS." False Sarsaparilla, is an indigenious plant of the United States, where, in addition to the name given, it is called small spikenard. The flower, stem,