

Time.	Readings on First day	Time.	Readings on Second day
11.45 a.m.	110mm.	2 p.m.	108mm.
12.15 p.m.	108mm.	3 p.m.	110mm.
12.45 p.m.	112mm.	4 p.m.	108mm.
2.00 p.m.	114mm.	5 p.m.	110mm.
3.00 p.m.	112mm.		
4.00 p.m.	114mm.		
5.00 p.m.	112mm.		
5.00 p.m.	110mm.		
Time.	Readings on third day.	Time.	Readings on fourth day.
9.00 a.m.	118mm.	6 a.m.	106mm.
10.00 a.m.	112mm.		
11.00 a.m.	108mm.	9 a.m.	124mm.
12.00 a.m.	112mm.		
1.00 p.m.	116mm.		
2.00 p.m.	108mm.		
3.00 p.m.	114mm.		
4.00 p.m.	112mm.		
5.00 p.m.	112mm.		

Case 2.—The same remarks hold for this case as in No. 1. This patient has the disease in a more active form, which might account for the wider fluctuations.

CASE No. 3.

Time.	Readings on first day.	Time.	Readings on second day.
9.15 a.m.	126mm.	9 a.m.	104mm.
9.45 a.m.	114mm.	10 a.m.	102mm.
10.15 a.m.	104mm.	11 a.m.	104mm.
10.45 a.m.	98mm.	12 a.m.	102mm.
11.15 a.m.	100mm.	1 p.m.	106mm.
11.45 a.m.	104mm.	2 p.m.	110mm.
12.15 a.m.	102mm.	3 p.m.	102mm.
12.45 a.m.	104mm.	4 p.m.	104mm.
2.00 p.m.	104mm.	5 p.m.	106mm.
3.00 p.m.	104mm.		
4.00 p.m.	102mm.		
5.00 p.m.	104mm.		
Time.	Readings on third day.	Time.	Readings on fourth day.
9.00 a.m.	108mm.	6 a.m.	104mm.
10.00 a.m.	106mm.		
11.00 a.m.	104mm.	9 a.m.	106mm.
12.00 a.m.	104mm.		
1.00 p.m.	108mm.		