



Systematic Ill Treatment of Prisouers is Common, Sonie Compelled to Dig Themselves Into the Ground For Shelter-Russian Prisoners Carrying Typhus Germs

sketches from German illustrated support of this accusation. It is ad-

certain camps. In regard to the question of nour-

TWO CENTS.

ishment, French surgeons and nurses, who have returned to France after periods of captivity in Germany, report that the insufficiency of food coupled with other privations has resulted in the spread of tuberculosis and other diseases such as erys sickness are reported to be very fre quent in the camps of interned civiians and particularly among chil-

Crippled soldiers returning to France from the camps of Langen salza, Cassel-Viederwehren and Wit n nearly all prison camps by tuber tenberg, report that Russian prison losis developed by neglect of most ers, carrying typhus contagion were scattered through these camps start-French prisoners by mixing them ing an epidemic. They accuse the with infected Russians; general pre- German doctors of brutality to nurvalence of rheumatism in all prison ses as well as neglect typhus patients camps as the result of dampness; enforced labor of prisoners of war on the night were said to have been left military works, such as trench dig-ting; manufacture of arms and muni-tions; insufficient, food, shelter and blathing til morning. "During the pai 'epoch of the epidemic," the Spa, ambassador is quoted as report "everything was lacking, includ

beds and medicin



Success.

Attack Made on Front of

