

female in the vicinity
l, rare—Caulfield;
ly, to north of Lake

nt—W. E. Saunders.
don—L. Reed.
—Provancher; Mon-
onto, common, and
nnis—Scudder, com-

where—Brodie.
tawa, rather uncom-
f Lake Superior—

Regina—Fletcher;
n June 15 and July

ern shore of Lake

iebec—Provancher.
al, common—Caul-
rior.—Brodie.
cher.

letcher.

Montreal, common
h of Lake Superior

ttawa, common—
die.
—Fletcher; Souris

Dawson.

—Fletcher.

; Montreal, com-

cher; Montreal,

mmon; Ontario,

Montreal, rare—
letcher; Dufferin,

Montreal, com-

Camnula atrox, Scudder.—Regina, August—Fletcher; Victoria, Vancouver Island—Packard. (Surely a variety of the preceding.)

Pezotettix borealis, Scudder.—A single pair, vicinity of Lake of the Woods—G. M. Dawson.

Pezotettix Dawsonii, Scudder.—Souris River—G. M. Dawson.

Pezotettix septentrionalis, Sauss.—Labrador—Saussure.

Melanoplus repletus, Walk.—Vancouver Island—Walk.

Melanoplus scriptus, Walk.—Vancouver Island—Walk.

Melanoplus bilituratus, Walk.—Souris River—G. M. Dawson; Vancouver Island—Walk.

Melanoplus femur-rubrum, Burm.—Quebec—Provancher; Montreal, common—Caulfield; Ottawa—Harrington; Ontario, generally to north of Lake Superior—Brodie.

Melanoplus atlantis, Riley.—Quebec—Provancher; Ottawa—Fletcher.

Melanoplus spretus, Uhler.—Dufferin, Souris River, vicinity of the Lake of the Woods, and the east fork of Milk River—G. M. Dawson.

Melanoplus parvus, Prov.—Cap Rouge, Quebec—Provancher.

Melanoplus femoratus, Burm.—Quebec—Provancher; Montreal—Caulfield; Ontario, everywhere—Brodie; Lake of the Woods—G. M. Dawson; Regina—Fletcher.

Melanoplus Packardii.—Regina, one specimen—Fletcher.

Melanoplus infantilis.—Regina—Fletcher.

Melanoplus extremus, Walk.—Arctic America—Walk.

Melanoplus fasciatus, Walk.—St. Martin's Falls, Albany River, Hudson Bay—Walker.

Melanoplus arcticus, Walk.—Arctic America—Walk.

Melanoplus borealis, Feiber.—Labrador—Feiber.

Acridium appendiculum, Uhler.—Quebec—Provancher.

Tettix granulata, Kirby.—Quebec—Provancher; Montreal, common—Caulfield; Ottawa—Harrington; Ontario, generally to Lake Superior—Brodie; Arctic America—Kirby; Vancouver Island—Packard.

Tettix ornata, Say.—Quebec, common—Provancher; Ontario generally, rare—Brodie.

Tettix cucullata, Scudder.—Toronto, common; Ontario generally, rare—Brodie.

Tettix triangularis, Scudder.—Quebec, rare—Provancher; Montreal, rare—Caulfield; Ottawa—Harrington; Ontario, generally to Lake Superior—Brodie.

Tettix rugosa, Scudder.—Sudbury, Ont.—Fletcher.

Tettigidea lateralis, Say.—Quebec—Provancher; Montreal—Caulfield; Ottawa—Harrington; Ontario, generally to Lake Superior—Brodie.

Tettigidea polymorpha, Burm.—Common in same localities as preceding species.

Tettigidea acadica, Scudder.—Lake of the Woods—G. M. Dawson.

Batrachidea cristata, Harris.—Toronto, rare—Brodie.

PHASMIDÆ.

Diaperomera femoratum, Say.—Montreal, not uncommon—Caulfield; Ottawa—Fletcher, Harrington; rare in Hickory Woods; Kingston—Rodgers; Ontario generally—Brodie; Red River settlements—Scudder.

BLATTIDÆ.

Stylophyga orientalis, Linn.—Quebec—Provancher; Montreal, common—Caulfield; Toronto—Brodie.

Ectobia Germanica, Stephens.—Chaudiere curve, Quebec—Fyles; Montreal, common—Caulfield; Toronto—Brodie.

Ectobia lithophila, Harris.—Welland and westward—Brodie.

Periplaneta Americana, Linn.—Essex County, Ont.—Brodie.