

CHEESE.

Inspector's Report.	RESULTS OF ANALYSIS.							Remarks and Opinion of the Chief Analyst.
	Water.	Fat.	Total Ash.	Salt in Ash.	Clard by Difference.	Reading of Butyro-refractometer at 25° C.	Fat, per cent on dry substance.	

A. C. LARIVIERE, INSPECTOR—Concluded.

	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.
.....	26.70	36.00	2.06	0.12	35.24	51.1	49.11
.....	32.30	32.00	3.06	0.72	32.72	52.3	47.19
.....	31.28	32.49	2.92	0.61	33.32	50.8	47.27
.....	31.68	33.96	3.26	0.63	31.06	53.0	45.36
.....	31.48	31.80	2.60	0.77	34.12	51.6	46.40

R. W. FLETCHER, INSPECTOR.

.....	17.12	39.06	4.24	1.24	39.56	51.8	47.15
.....	19.36	37.80	3.66	0.71	39.18	52.6	46.88
.....	22.52	36.80	3.92	0.90	37.76	51.2	47.49
.....	25.20	35.32	3.92	0.99	35.56	52.1	47.22
.....	16.92	38.40	3.84	0.92	40.84	51.5	46.22
.....	17.24	41.16	3.96	1.35	37.62	52.8	49.73
.....	23.68	35.72	4.00	0.77	36.60	53.0	46.72
.....	23.12	39.80	3.62	1.13	33.46	52.5	51.77
.....	26.00	29.16	3.78	1.10	41.06	52.8	39.40
.....	27.08	34.16	3.32	0.91	35.44	52.8	46.84
.....	27.52	34.06	4.24	1.11	34.16	52.7	47.02
.....	24.20	34.72	3.86	0.97	37.32	51.5	45.80
.....	27.12	35.06	3.82	1.12	35.98	52.5	48.13
.....	27.04	34.52	3.56	0.63	34.88	52.5	47.31
.....	28.80	33.60	2.74	0.64	34.86	53.0	47.19

J. F. POWER, INSPECTOR.

.....	29.28	32.00	3.64	0.5	35.08	53.0	45.25
.....	26.56	32.44	4.08	0.85	36.92	52.5	44.17
.....	29.84	30.68	2.92	0.66	36.56	53.0	43.73
.....	25.96	32.20	3.74	0.75	38.10	53.0	43.49
.....	30.68	31.72	3.62	0.78	33.98	52.2	45.76
.....	28.00	32.36	3.04	0.48	36.60	52.0	44.94