TABLE III.

ENGLISH MILK FOOD-MALTED.

Serial Number.	Departmental Number.	Moisture,	Fat by Petrolic Ether.	Loss to Alcohol.	Loss to Water.	Sum of losses to Alcohol and Water.	Proteids— N. × 6·25.	Ash.	Starch, &c., by Difference.	Remarks.
20 21	36197 30608	5.75 5.46	0.70 0.95	20°40 19°45	9.80	30·30 29·25	8:38 8:50	0.92 0.62	53·95 55·22	Directed to be pre pared with milk.
	Means	5.60	0.83	19.90	9.85	29.78	8:44	0.77	54.08	

ESKAY'S ALBUMENIZED FOOD.

22 23	33940 28988		4:95 4:73		7:35 12:13	58 65 58 80	7·25 7·00	0.98 1.14		Is directed to be used along with milk, to
	Means.	1.28	4.81	49:00	9.74	58.73	7:13	1.06	26.68	supply fat, etc.

HORLICK'S MALTED MILK.

									1	
24 25 26 27 28 29 30 31	33941 40030 22938 39468 39470 30609 34799 37577	3:45 3:20 3:45 3:35 2:90 3:55 3:35 1:80	8:45 8:35 7:32 7:60 8:15 7:70 7:00 8:80	49 · 00 50 · 75 50 · 90 52 · 05 49 · 90 -47 · 80 53 · 55 50 · 80	18:30 17:30 17:65 18:25 20:10 19:55 15:85 19:20	67:30 68:05 68:55 70:30 70:00 67:35 69:40 70:00	14.88 15.31 14.94 14.96 14.69 14.88 14.19 15.31	3.80 4.00 2.70	1.92	if desired, according to directions on the label.
	Means.	3.13	7.92	50.59	18:28	68.87	14.90	3.55	1.63	

LACTO-GLOBULIN.

32 33 34 35	31486 22939 34785 28985	9·05 9·45	0.65 0.85 0.97 0.70	5:30 7:97 8:25 6:10	6.35 4.92 5.65 5.95	11.65 12.89 13.80 12.05	71:44 72:62 71:06 74:62	8:20	
	Means.	9.40	0.79	6.90	5.72	12:59	72.44	8.19	

Note.—The factor 6.25 used for converting nitrogen to proteids is an approximate factor only, and lead to notable error in the case of this food, which contains about 70 per cent of proteid material.

LACTATED FOOD.

36 37	33938 31484	6.95	0.42	24.65 23.77	5·10 6·40	29.65 30.17	9.56 8.81	1:04	51:38 53:00	
38	29921	6 80	0.45	22.37	7:05	29.42	9:13	1.20	53.00	
39 40	36893 30593	6.70	0.30	24:07 27:97	7:05 4:20	31·12 32·17	9.81	1:46 1:40	50.41 49.39	
41 42	35911 37580	6 · 95 7 · 65	0.45	22·15 23·75	6:57 7:05	28·72 30·80	9:50	1:04	53°34 52°20	
43	39328	6.60	0.30	24.77	6.70	31:47	9.44	0'88	51:31	
	Means.	6.87	0.38	24.18	6.26	30.44	9.54	1:14	51.75	