

**THESTATE BOARD OF HEALTH OF PENNSYLVANIA** eports:—"The excellent Bacteriological showing of the product, purchased with the others in a large Dial Store, is an index of the hygienic condition of the pains taken in removing the Lymph to keep it aseptate."



MAIN BUILDING-INOCULATING DEPARTMENTS. (Dimensions 60x200.)

MR. ERNEST B. SANGREE, M. D., STATE BACTERIOLOGIST OF TENNESEE, SAYS:

Bovine Virus is no safer than humanized, unless 'The source is beyond doubt.' "Unfortunately a number of vaccine firms have not yet wakened up to the necessities. "Of the different places I visited I would recommend to the Board of Health the product of three as safe for them to advocate; and of these three the product of my own choice would be the product of the...

LANCASTER COUNTY VACCINE FARM, AS BEING HEAD AND SHOULDERS ABOVE ANY SIMILAR FIRM IN THE UNITED STATES

Dried Vaccine	§ Ivory Points		<b></b>		
Dired vacenie	Quill Slips		• • • • • • • •		10 for 1 00
	Sternberg Bulbs,	each a	sufficient	for 1 va	cciuation, 10 for \$ 1 00
	Lymph Tubes	" "	• 6	I	" 10 for 1 00
Fluid Vaccine	{ Lymph Tubes	"	"	10	" 90
	Lymph Tubes Lymph Tubes	"	**	20	" I 70
	Lymph Tubes	"	"	50	· " · · · · · · · · · 4 00

All orders for Vaccine, or letters containing enquiries as to prices should be addressed to the nearest one of our Shipping Offices.

Marietta. Penn.,

Omaha, Neb., 5609 Indiana Ave. Chicago, III., 77 E. 116th Street, New York City.