

MAPLE SYRUP.

Results of Analysis.							No. of Sample.	Remarks and Opinion of the Chief Analyst.
Water.	Solids.	Lead Number Canadian.	Calculated to Water Free Basis.					
			Total Ash.	Water Sol- uble Ash.	Insoluble Ash.	Water Sol. Ash Insol. Ash.		

H. ASHTON, ACTING INSPECTOR.

p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.		
31.21	65.76	3.00						48816	Genuine.
29.19	70.81	2.90						48817	"
31.87	68.13	3.00						48818	"
34.87	65.13	2.50						48819	"
35.42	64.56	2.30						48820	"
33.19	66.81	1.69	0.63	0.37	0.25	1.48	0.37	48821	Doubtful.
35.11	64.89	3.00						48822	Genuine.
30.85	69.15	2.70						48823	"
30.80	69.20	1.64	0.65	0.42	0.23	1.82	0.36	48824	Doubtful.
31.16	68.84	2.60						48825	Genuine.

THOS. PARKER, INSPECTOR.

34.44	65.66	0.96	0.36	0.21	0.15	1.40	0.10	49795	Adulterated.
36.72	63.28	2.18						49797	Genuine.
34.16	65.84	3.22						49798	"
33.75	66.35	0.62	0.33	0.21	0.12	1.75	None.	49799	Adulterated.
35.75	64.25	0.54	0.40	0.22	0.18	1.22	0.04	49806	"
32.05	66.97	2.50						49807	Genuine.
32.01	67.99	1.32	0.52	0.32	0.20	1.60	0.21	49811	Adulterated.
35.10	64.90	2.70						49812	Genuine.