

Ranunculaceae

- Anemone richardsoni* Hook.
 " *parviflora* Michx.
 " *narcissiflora* L.
Pulsatilla cairnesiana (Greene) J. M. Macoun.
 " *patens* L., var. *Wolfgangiana* (Bess.) Koch.
Ranunculus lapponicus L.
 " *nivalis* L.
 " *Eschscholtzii* Schlecht.
 " *affinis* R. Br.
Aquilegia brevistyla Hook.
Delphinium glaucum S. Wats.
Aconitum delphinifolium DC.

Fumariaceae

- Corydalis sempervirens* (L.) Pers.

Papaveraceae

- Papaver radicum* Rottb.

Cruciferae

- Cardamine purpurea* Ch. and Sch.
 " *digitata* Rich.
 Known only from Bear lake and Herschel island.
Parrya macrocarpa R. Br.
Lesquerella arctica (Rich.) Watson.
Melandion boreale Greene.

Perfect specimens were collected at lat. 67°N., 42 miles north of the locality at which the type of this genus was collected by Dr. Cairnes in 1911.

Crassulaceae.

- Sedum rhodiola* DC.

Saxifragaceae

- Saxifraga tricuspidata* Retz.
 " *flagellaris* Willd.
 New to the region.
Saxifraga nelsoniana Don.
Theophron richardsoni (Hook.) Wheelock.
Parnassia palustris L.
Ribes triste Pall.
 " *hudsonianum* Rich.