

BIBLIOGRAPHY

It has been suggested that a bibliography for the Cephalopoda of the American Arctic would be found useful in connection with other bibliographies appearing in this series of papers. Defining the American quadrant as those Arctic waters lying between Davis and Bering straits, with possibly the 60th parallel as an arbitrary southern boundary, the following list of titles has been compiled as a contribution to this end. It is thought to be complete, at least to the point of serviceability, if unfortunately not to that of perfection. No attempt is here made to correct the synonymy quoted.

A few titles incuded have not been available for consultation and are consequently quoted from the citations of other authors. Such are enclosed in brackets.

DALL, W. H.

1881. New or specialty interesting shells of the Point Barrow Expedition. Proceedings United States National Museum, v. 7, pp. 523-526, pl. 2. f. 8. 1881.

Records *Octopus gröenlandicus* from Point Barrow, Alaska.

DEWHURST, H. W.

1831. The natural history of the order Cetacea, and the oceanic inhabitants of the Arctic regions. p. i - xx, 1 - 291 (331), with numerous pls. and figs., 8 vo., London, 1831.

Contains note on *Sepia gröenlandica*, n. sp. (*nomen nudum*, p. 263), from "Greenland Seas," and various references to cephalopods as food of Arctic whales.

ESCHRICHT, D. F.

1836. Cirroteuthis Mülleri, eine neue Gattung der Cephalopoden bildend. Acta Academiae Caesaris Leopoldino Carolina Naturae Curiosorum, v. 18, p. 627-634, pl. 46-48, 1836.

Cirroteuthis Mülleri, n. gen. and sp. described from Jacobshavn, Greenland.

FABRICIUS, O.

- [1780. Fauna Groenlandica. 8vo, Hafniae et Lipsiae, 1780, pp. 358-60.]
Records *Sepia loligo* and *S. octopodia* from Greenland.

GRIEG, J. A.

1896. Bidrag til kundskaben om Vestlandets mollusker. Bergens Museums Aarbog, no. 10, pp. 1-33, pl. 1, 1896.

Records *Rossia glaucopsis* from 100-150 fath., off Kraakøskallen; 120 fath., off Baardshaug, Selbjørnefjorden; and 60-70 fath., Hjeltefjorden. *Sepiola rondeletii* from Kraakøskallen and Godø Sund, Greenland.

1909. Brachiopods and mollusks with a supplement to the echinoderms. Report 2nd Norwegian Arctic Expedition in the *Fram*, 1898-1902, No. 20, pp. 1-15, pl. 1, October, 1909.

Records *Rossia palpifera* from 8 m., entrance to Stordalen, Havnfjord, Ellesmere island.

HOYLE, W. E.

1886. Report on the Cephalopoda collected by U.S.S. *Challenger* during the years 1873-76. Voyage of the *Challenger*, v. 16, pt. 44, pp. i-vi, 1-246, text f. 1-10, map, pl. 1-33, 1886.

On p. 222 gives summary of the then known cephalopod fauna of the Arctic faunal region, listing 9 species, referable to 6 genera.