LANIIDÆ-SHRIKES.

- 621. Lanius borealis, Northern Shrike. W. m.c.
- 622a. " ludovicianus excubitorides, White-rumped Shrike. S. r. B. On 22nd July, 1890, Mr. A. G. Kingston received from Capt. Veith a shrike which seemed about midway between this variety and the typical ludovicianus.

VIREONIDÆ-VIREOS.

- 624. Virev olivaceus, Red-eyed Vireo. S. a. B.
- 626. "philadelphicus, Philadelphia Vireo. S r. As this species is not easily distinguished from the next it may be commoner than is generally supposed.
- 627. Vireo gilvus, Warbling Vireo. S. a. B.
- 628. " flavifrons, Yellow-throated Vireo. S. r.
- 629. " solitarius, Blue-headed Vireo. S. m.c.

MNIOTILTIDÆ-WOOD WARBLERS.

- 636. *Mniotilta varia*, Black and White Warbler. S. c. B, Commoner in migration than in summer.
- 645. Helminthophila ruficapilla, Nashville Warbler. S. r. B. A nest of this species with four eggs was taken in Dow's Swamp 13th July, 1881. In 1882 the bird was noted as "quite common."
- 646. Helminthophila celata, Orange-crowned Warbler. Casual. A male was shot by Mr. E. White 27th September, 1885, near the Eastern end of the City.
- 647. Helminthophila peregrina, Tennessee Warbler. M. r. One was shot on the bank of the Rideau 9th April, 1882, by Mr. G. R. White. Another was shot May 16th, 1888.
- 648. Compsoihlypis americana, Parula Warbler. M. m.c.
- 650. Dendroica tigrina, Cape May Warbler. M. r. A pair were shot by Mr. E. White near the Riceau 24th May, 1883. Further records are 7th June, 1885; 11th May, 1887; 16th May, 1888.
- 652. Dendroica æstiva, Yellow Warbler. S. a. B.
- 654. " cærulescens, Black-throated Blue Warbler. M. m.c.
- 655. " coronata, Myrtle Warbler. M. a. Has been seen all through the summer and probably breeds in the Mer Bleue,