

NOTES ON SOME NORTH AMERICAN YPONOMEUTIDÆ.

BY HARRISON G. DYAR, WASHINGTON, D. C.

(Continued from page 41.)

Genus GLYPHIPTERYX, Hübn.

Hübn., Verz. Bek. Schmett., 421, 1816; Wals., Proc. Zool. Soc., Lond., 1897, 118.

Synopsis of Species.

Hind wings narrowly oblong, the fringe about as long as the width of the wing.

A series of black and silver dots along the margin of wing at anal angle.

Fore wing with a straight white line across the middle.

A purplish space subterminally, with three white dashes on costa *bifasciata*, Wals.

No purplish space, but a nearly continuous white line beyond the middle line *unifasciata*, Wals.

Fore wing with a white costal bar at middle, preceded and followed by white lines that converge toward inner margin *quinqueferella*, Wals.

Fore wing without such spots on the margin.

A curved white streak on middle of inner margin *impigritella*, Clem.
(= *exoptatella*, Chamb.)

This white streak not curved.

This white streak a triangle without a costal dot opposite it *circumscripta*, Chamb.

This streak with an opposed white costal streak *California*, Wals.

Hind wings broader, the fringe much shorter than the width of the wing.

Fore wing with no costal white streak except at the apex, the other lines being lead colour *regalis*, Wals.

Fore wing with white costal streaks.

No conspicuous white streak on middle of inner margin *quadragnetapunctata*, Dyar.

A white streak on the middle of inner margin *montisella*, Chamb.

G. quadragnetapunctata, n. sp.

Fore wings dark brown, the apex golden; seven yellowish white dots on the costa, the third from the base continued as a white line across the