TABLE SHOWING THE PARALLELISM OF TEMPERATURE AND PLANT.GROWTH DURING THE SPRINGS OF 1302 AND 1903.

y

a, all ror to le

m he he of re ne he is

in out art III ith ea-dle

		March.	÷		V	April.			~	May.			_	June.		Total.
	First & Stiddle	Last.	Total.	First.	Middle.	Last.	Total.	Pirst.	Middle.	Last.	Total	First.	Middle.	Last.	Total.	Four Months.
(a) Synchronous observations	:	:	:	1	6	œ	(12)	10	10	-	(E)	+	-	1:	(5)	33
(b) Earlier bloomers of 1902	:	~	(2)	100	+	=	(81)	=	0	"	(91)	N	-	:	(3)	39
(c) ,, ,, 1903	:	-		:	+	60	(2)	+	23	235	(32)	7	10	:	(30)	86
Total number of plants under consid- eration	:	- 74	3		- 1	22	1 2	30	30	29	(62)	30	1 -	1	(77)	170
Average lead of (b) four days.																
middle part of May, when the lead became (in days)	:	:			:	:	:		1-	2	:	. 6	œ	:		
Average maximum commercial			0		0	0	0	0	0	0	٥	6	0		0	0
	37.152		(42.32) 30		54.4 62.8	52.8	(33.7)	36.6	63.1	20.3	(55.7) 56.6 (53.1 70.3 (64.6) 71.6 71.9 (57.1	9.12	6.17	1.19	(70.2)	(70.2) (58.15)
" " 1903 40 43.5 (42)	of	13.5		48.2 54		62.8	(55)	67.7	67.781.170.8 (73)	8.07		80.5	8.	-	1	80.5 67.8 71.1 (72.1) (60.7)