

SPIRITUS ÆTHERIS NITROSI.

Inspector's Report (Is not an expression of opinion.)	RESULTS OF ANALYSIS.			No. of Sample.	Remarks and opinion of the Chief Analyst.
	Sp. gr. at 15°C.	Ratio of vol. of gas to vol. of liquid.	Ethyl Nitrite per cent by weight.		

THOS. PARKER, INSPECTOR.

	p. c.	p. c.	p. c.	
.....	0.8266	5.2	2.02	48445 Genuine.
.....	0.8568	3.4	1.24	48446 Adulterated.
.....	0.9047	5.6	1.91	48451 Genuine.
.....	0.8601	9.4	3.37	48484 "
.....	0.8237	1.5	0.55	48486 Adulterated

J. F. POWER, INSPECTOR.

Made from compound...	0.8295	8.3	3.10	38205	Genuine.
" "	0.8273	7.5	2.53	38206	"
.....	0.8117	3.9	1.51	38207	Adulterated.
.....	0.8316	8.8	3.30	38208	Genuine.
.....	0.8399	6.5	2.42	38209	"

D. O'SULLIVAN, INSPECTOR.

.....	0.8723	2.3	0.86	47671	Adulterated.
.....	0.8441	4.8	1.80	47672	Genuine.
.....	0.8266	9.4	3.63	47673	"
.....	0.8273	6.0	2.33	47674	"
.....	0.8284	8.9	3.43	47675	"