

- Niemann, B. L., A. A. Hirata, B. R. Hall, M. T. Mills, P. M. Meyerhofer, and L. F. Smith, 1980: Initial Evaluation of Regional Transport and Subregional Dispersion Models for Sulfur Dioxide and Fine Particulates. Second Joint Conference on Application of Air Pollution Meteorology and Second Conference on Industrial Meteorology, pp. 216-224, 23-27 March 1980, New Orleans, Louisiana.
- Nordlund, G. G., 1975: A Quasi-Lagrangian Cell Method for Calculating Long-Distance Transport of Airborne Pollutants. J. Appl. Meteorol. 14, 1095-1104.
- Patterson, D. E., R. B. Husar, W. E. Wilson, and L. F. Smith, 1981: Monte Carlo Simulation of Daily Regional Sulfur Distribution: Comparison with SURE Sulfate Data and Visual Range Observation during August 1977. J. Appl. Meteorol. 20, 404-420.
- Penkett, S. A., B. M. R. Jones, K. A. Brice, and A. E. J. Eggleton, 1979: The Importance of Atmospheric O_3 and H_2O_2 in Oxidizing SO_2 in Cloud and Rainwater. Atmos. Environ. 12, 123-137.
- Powell, D. C., D. J. McNaughton, L. L. Wendell, and R. L. Drake, 1979: A Variable Trajectory Model for Regional Assessment of Air Pollution from Sulfur Compounds. PNL-2734, Battelle Pacific Northwest Laboratory, Richland, Washington.
- Prahm, L. P., and O. Christensen, 1977: Long Range Transmission of Pollutants Simulated by a Two-Dimensional Pseudospectral Dispersion Model. J. Appl. Meteorol. 16, 896-910.
- Ragland, K. W., and K. E. Wilkening, 1980: Intermediate Range Grid Model for Atmospheric Sulfur Dioxide and Sulfate Concentration and Deposition. U. S. Environmental Protection Agency, Duluth, Minnesota.