

- Earache, 171.
Eggs, 127, 149.
 for infants, 83.
Exercise, 159.
Eyes, 17, 18.
Feeding, of infants, 42-121.
 artificial, 54-121.
 modification of cow's
 milk in, 59-76.
 formulas from 7 per
 cent. milk, 67-73.
 formulas from whole
 milk, 73-76.
 nursing, 42-54.
 of older children, 125-144.
Fever, 163-165.
Fish, 128.
Fontanel, closed, 33.
Foods, proprietary, 95.
Foreign bodies, in the ear, 170.
 in the nose, 170.
 swallowed, 169.
Foreskin, 17.
Fruits, 117, 119, 135.
Genital organs, 16, 17.
German measles, 174.
Granum, Imperial, 148.
Gruels, preparation of, 147.
 uses of, 82.
Head, measurements of, table
 of, 35.
 supported, 33.
Height, table of, 35.
Indigestion, in infants, 96.
 in older children, 137-141.
Junket, 146.
Kissing, 168.
Lime water, 148.
Lifting children, 162.
Masturbation, 186.
Measles, 173.
Meat, 128.
Menstruation, effect of, on
 breast milk, 45.
Milk, cow's, modification of,
 59-76.
 selection and care of, 54.
 top, 63-65.
 mother's, 41-42.
Modification of cow's milk (see
 Feeding), 59-76.
Mouth, 18.
Mumps, 176.
Napkins, 24.
Nervousness, 165.
Nipples, 100.
Nursery, 25.
Nursing (breast feeding), 43.
 diet during, 44.
 indigestion during, 47, 49.
 intervals, 43.
 when not attempted, 42, 48.
Nursing bottles, 100.