Where Joes it J Begin:

Is not a simple eastric derangement the precursor of most cases of Summer Diarrhoea in children? Are not the majority of these cases Dyspeptic in origin? Why not administer

factopeline early? you may "nip it in the bud." By righting the disestion and supplying the lacking ferments duyou not pave the way for subsequent antiseptic treat-

ment ?

Can any course be more rational?

Has any other line of treatment proved more effectual?

Samples and literature upon request:



Hemaboloids
Blood Enricher

The lines of logic

INDICATE THE VALUE OF

Liquid Peptonoids

AS A SUITABLE SUBSTITUTE FOR FERMENTABLE MILK FOODS WHEN IT BECOMES NECESSARY TO DISCONTINUE THE LATTER IN CASES OF CHOLERIFORM DIARRHOEA ETC.

Liquid Peptonoids
IS THOROUGHLY PRE-DIGESTED
AND ITS QUICK ABSORPTION
IS THUS ASSURED

ITS THOROUGHLY STERILE STATE PREVENTS ITS SEPTIC FERMENTATION

ITS SLIGHT STIMULATING ACTION COMBATS COLLAPSE.

Liquid Peptonoids
IS THOROUGHLY PALATABLE AND
TOLERABLE.

WHEN A COMBINATION OF A SEPTICE TO SEE A SECTION OF A SECTION OF THE SECTION OF T

Liquid Peploncias

WITH CREOSOTE
WILL BE FOUND OF
PARAMOUNT VALUE

SEMO FOR SAMPLES

THE ARUNGTON (HEMICAL CONNER.