boil them whole until they become soft, spread them upon some toasted bread, and pour melted butter over the whole. Others again treat them as greens, dressing them with vinegar.



This little cut, which was obtained from Mr. Vick, of Rochester, shews the root with the buds growing up from it, and will give to many who are not familiar with the plant a good idea of its appearance. These roots can be purchased of nurserymen and market

gardeners at very moderate cost, and planted out in a bed in the garden where they will continue for many years. The bed should be prepared by deep spading, and be well enriched and thoroughly pulverized. Trenches may be cut across the bed about six inches deep, and eighteen inches apart, and the plants set in the trenches nine inches from each other, and covered with two or three inches of soil. The best time for setting them out is in the Spring, from, say the middle of April to the middle of May.

Salt is a special manure which may be applied to our Asparagus beds with great benefit in this inland region. It should be spread over the surface of the ground only in the Spring, before the buds appear, at the rate of three pounds of salt to the square yard. Asparagus is a marine plant, hence an application of salt in sufficient quantity to destroy weeds, only supplies that, which in our inland country, is needed for the health and vigor of the plant.

A word about cutting the buds for use. In most of our works on gardening we are directed to cut them two or three inches below the surface, exercising great care not to cut off, in the operation, the buds which are coming up, but yet unseen. But why we should be at so much pains, and run so much risk of injuring the buds that lie hid under ground, merely for the sake of securing a portion of the stalk, which though it looks white and tender, is really tough and useless, is not easily understood. We prefer to cut them off just at the surface, thereby securing all that is eatable, and avoiding all risk of injuring the buds below. A young bed should not be cut over but a few times, after it has been well established the cutting may be continued for several weeks.

app we its

hib

the and The The broy

on s