ninerals,

v,xxxvi, 7.

κ. mineral,

to Bun-

mineral,

colite. rding to

ion with

rière), 35. eological 7, 42. original,

bol, 33. nd direc-

ada and 88. pecimens 27, 94.

Canada), neiss and

metamor-

an lime-

s, 91, 99,

Eozoon,"

vements 102, 106,

letamor-

sotile of,

dlenger'

- Rensselaerite a serpentine mineral, 5, 6.
- forms an ophitic rock, 2.
- Retepora cellulosa simulated in Cornish serpentinyte, 11.

Retinalite, 5.

Rhodochrome, 5.

Richardson, T., on delomite, 91.

Ripidolite, 5, 6.

- Roches homogènes et hétérogènes of Alex. Brongniart, 47. Rock-jointing. See Jointing.
- Rogers, Professors, on decomposition of serpentine, 4, 25.
- Roman baths at Plombières, minerals generated in brickwork of, 35.
- Rose, Gustaf, origin of serpentine, vii, 37, 41.
- Rossie (St. of New York), crystalline limestone of, 56.
- Rottenstone, a product of rock-alteration, 43.
- Rowney, Dr. T. H. (in conjunction with Prof. W. King), xii, xiii, xxii, xxiii, xxviii, xxxiii, xxxix, xliii, xlvi.
- phism, 34, 35.
- -), on dolomitization, 92, 93, 94.
- Rozel on hemithrene of the Vosges, 53.
- Rutley, Frank, on the serpentire of Cannaver Isle, 40.

S.

Sahlite, 7, 55, 57.

- St.-Bees' red sandstone, its place in the Permian system, 101.
- Sainte Marie-aux-Mines. See Mont St. Philippe.
- St. Paul's Islands, their relation to the earth's volcanic girdle, 117.
- Sandberger, F., on origin of serpen-
- tine rocks &c., 70. Sandford, W. A., on "Eozoon" in Connemara marble, xl.
- Sanidine, its occurrence in deep-sea deposits, 75. Saponite, zliii, 5, 11.
- Sapphire, its occurrence in hemithrenes &c., 7.
- Scheerer on pseudomorphism, vii, 24.
- on aqueous origin of granite, 34. — on hemithrenes, 48, 53.

- Schimper, Prof. W. P., opposes "Eozoon," xlix.
- Schizodus-limestones, their position in the Permian system, 102.
- Scouler, Dr. R., on dolomite, 91.
- Sedgwick, Rev. Prof. Adam, on serpentine rock of the Lizard, 37.
- on coralloids of the Durham magnesian limestone, 93, 106.
- Sedimentary ophites, 45, 46. Selwyn, Alfred R. C., on Lévis metamorphics, 48, 88.
- , on Huronian rocks of Canada, 74.
- -, on thickness of the Archæan rocks, 73.
- Sepiolyte (sepiolite, "argile magnésienne), 2, 5, 29, 44.
- Sequoias, fossil, of Grinnell Land and Spitzbergen, 116.
- Serapis, columns of verd antique in temple of, 11.
- Serpentine minerals, their pseudomorphic origin &c., xiv, 1, 4-7, 24, 50, 63, 64, 71.
- rocks (serpentinytes), their methylotic origin. See Methylosis.
 - generally. See Ophites.
- -, kinds originally igneous, intrusive or eruptive, xiv, xliv, 46.
- -, kinds originally sedimentary, 45, 46.
- Serpentinized porphyry, granite, syenite, and other rocks near Gal-way, 27, 41.

- rocks. See Methylosis.

Serpentinytes, xliii, 2, 11, 21, 37.

Seybertite, 5.

- Shallow-water deposits, 100, 101.
- Sharpe, Daniel, on slaty cleavage, 109.
- , on terraces of the Alps, 113.
- Shetland, serpentines &c. of, 38, 48.
- -,South, its relation to the earth's volcanic girdle, 117.

Siberia, meteoric falls of, 63.

- -, Boreal, under genial climatal conditions, 116.
- Sideromelane, its occurrence in deepsea deposits, 75.
- Silacid or ordinary metamorphics, 2, 75, 76.

and silo-carbacid ophites. See Serpentine rocks.