

600. *R. VILLOSUS*, Ait. (Blackberry, Thimbleberry.)

Rocky and sandy woods. What I take to be the type of this species is found at Kingsmere. The whole plant is more glandular than the ordinary form, and although the lower bracts are generally leafy the description answers as to inflorescence, &c.

——— var. *FRONDOSUS*, Tor.

Woods and thickets. The common form. Ju.—2. (B.)

——— var. *HUMIFUSUS*, T. & G.

Low ground and shady river banks. This is a very distinct variety, which seems worthy of a specific name. Stems low (1 to 2 feet) and trailing, with weak prickles. Flowers few in number, fine and large. Patterson's Creek. Hull. Aylmer. Ju.—3.

601. *R. CANADENSIS*, L. (Low Blackberry.)

Rocky woods and sandy fields. Montreal Road. (*R. B. Whyte*)
King's Mountain and Aylmer (*J. F.*) Ju.—2.

602. *R. HISPIDUS*, L. (Swamp Blackberry.)

Borders of peat-bogs. Mer Bleue. Race-course swamp, Bank Street Road. Aylmer. Ju.—2.

GEUM, L. Avens.607. *G. ALBUM*, Gmelin. (White Avens.)

Low woods. July—1. (B.)

609. *G. MACROPHYLLUM*, Willd. (Large-leaved Avens.)

Rocky woods. Little Chaudiere. Hull. Chelsea. July—1.

610. *G. STRICTUM*, Ait. (Yellow Avens.)

Woods and thickets. July—1. (B.)

612. *G. RIVALE*, L. (Nodding or Purple Avens.)

Swamps. Lake Flora. Buckingham. Dow's Swamp. Stewarton. Ju.—3.

WALDSTEINIA, Willd.616. *W. FRAGARIOIDES*, Tratt. (Barren Strawberry.)

Woods and thickets. May—3. (B.)