| Results from Studies of Al ³⁺ | 3-55 |
|---|-------------------|
| Mercury in Fish | 3 - 55 |
| Fisheries Impacts in Canada and the United States | 3-56 |
| Potential for Fisheries Impacts in western North America | 3 - 62 |
| Loss of Genetically Unique Fish Stock | 3-62 |
| Effects of Acid Precipitation on Birds and Mammals | 3-63 |
| Effects on Unique Ecosystems Including Rare and Endangered Species | 3-64 |
| Consideration of Evidence for Irreversible Impacts | 3-66 |
| Depletion of Buffering Capacity | 3-67 |
| Soil Cation and Nutrient Depletion | 3-69 |
| Loss of Gene Pools (Unique Ecosystem Components) | 3-70 |
| Other Irreversible Effects Not Yet Fully Defined | 3-71 |
| | |
| ASSESSMENT OF THE SIGNIFICANCE OF ANNUAL, SEASONAL AND EPISODIC ATMOSPHERIC POLLUTANT LOADINGS | 3-71 |
| Significance of Loadings and Episodes in the Hydrologic Cycle and Pollutant Effects | 3-71 |
| Seasonal and Short-term Characteristics of Rain, Snow, Snowmelt and Pollutant Effects | 3-71 |
| Physical Response System | 3-71 |
| Biological Response System | 3-72 |
| Definition of Loading Thresholds for Aquatic Resource Impacts | 3-72 |
| Dickson Relationship | 3-72 |
| Henriksen Nomograph | 3-74 |
| Cation Denudation Rate (CDR) Model | 3-78 |
| Episodic Receptor Dose/Response Relationships | 3-80 |
| Implications of the Models | 3-82 |
| Illustrative Dose/Response/Time Relationships under Selected Loading Patterns | 3-84 |
| AQUATIC AREAS SENSITIVE TO ACIDIC DEPOSITION POSSIBLY RESULTING FROM TRANSBOUNDARY POLLUTION | 3-85 |
| Streams/Lakes, United States | 3-85 |
| Minnesota, Wisconsin and Michigan | 3-85 |
| New England | 3-88 |
| Adirondack Region of New York | 3-88 |