When a physician employs a hypodermatic tablet he wants quick results. To get them he must use a tablet that is soluble—that dissolves freely and fully. And flying to pieces in water is not the requirement. That is disintegration, not solution.

Parke, Davis & Co.'s Hypodermatic Tablets

dissolve promptly and thoroughly. Test one by the watch. Drop the tablet into a syringe half filled with lukewarm water. Shake vigorously. In five seconds (or less) it vill have dissolved completely.

Use our hypodermatic tablets. Get results. Get them promptly.





Tincture Euphorbia Pilulifera, 120 minims.
Syrup Wild Lettuce, 120 minims.
Tincture Cocillana, 40 minims.

Cascarin (P. D. & Co.), 8 grains.
Heroin hydrochloride, 8-24 grain.
Menthol, 8-100 grain. Syrup Wild Lettuce, 120 minims. Tineture Cocillana, 40 minims. Syrup Squill Compound, 24 minims.

DOSE 14 TO 1 FLUIDRACHM.

Syrup Cocillana Compound

is quite unlike the average cough syrup, as a perusal of the formula will show. It is efficient therapeutically. It is pleasing to the taste. It is inviting in appearance. It is free from the constipating tendency

of many otherwise good cough syrups.

Syrup Cocillana Compound appeals strongly to both prescribing and dispensing physicians. It meets the demand for a cough syrup that is not suggestive to the layman. It does not lend itself to self-medication.

PARKE, DAVIS & COMPANY

LABORATORIES: Detroit, Mich., U.S.A.; Walkerville, Ont.; Hounslow, Eng.

BRANCHES: New York, Chicago, St. Louis, Boston, Baltimore, New Orleans, Kansas City, Minneapolis; London, Eng.; Montreal, Que.; Sydney, N.S.W.; St. Petersburg, Russia; Bombay, India; Tokio, Japan; Buenos Aires, Argentina.