

Kerneria glacialis (Leach) Carp.^{*1}

Thracia Conradi Conth.

Thracia myopsis Beck.

Maetra solidissima Chem. (*Spisula solidissima* (Dillw.) Gray).

Maetra polynema Stimp. (*Spisula ovalis* Gld.).

Mesodesma Jauresii Joann. (*Ceronia deaurata* (Turt.) Stimp.).

Gemma Totteni Stimp. (*Tottenia gemma* (Totten) Perkins).

? *Cardium pinnulatum* Conr.^{*2}

Cardium Hayesii Stimp. (*C. ciliatum*, var.).

Yoldia sapotilla Stimp.

Mytilus modiolus Linné (*Modiola modiolus* (Linn.) Turton).

Peeten tennicostatus Mighels.

Limatula sulculus Leach. (Not seen.)

Catalogue of Echinodermata obtained by the Stearns Expedition.

LOPHOTHURIA FABRICI, Verrill.

Psolus Fabricii Duncan & Sladen, Echin. Arctic Sea, p. 10, pl. 1, figs. 9-13, 1881.

Young were found at Henley Harbor and Temple Bay in 8 to 10 fathoms.

PENTACTA CALCIGERA, Stimp.

Cucumaria calcigera Duncan & Sladen, Echin. Arctic Sea, p. 5, pl. 1, figs. 3-8, 1881.

Fox Harbor, St. Lewis Sound, in 1 to 3 fathoms. A number of good specimens were without a locality label.

CHIRODOTA LEVE, Grube.

Chirodota larvis Duncan & Sladen, Echin. Arctic Sea, p. 12, pl. 1, figs. 14-19, 1881.

Temple Bay in 5 fathoms; Fox Harbor in 1 fathom; Dead Island, near Square Island, in 2 to 4 fathoms.

*¹Three specimens, sent to the Peabody Museum of Yale College, were labeled *Pandora trilineata* Say.

*²One specimen labeled *C. pinnulatum* Conr., sent to the Peabody Museum of Yale College = *Cardium ciliatum* Fabr. (young).