

scape of which at apex and the flagellum, brown ; the joints of the latter are about four times as long as thick.

Described from two specimens, male and female.

*Eumegaspilus*, n. g.

This genus is distinguished from *Megaspilus* Westwood in being entirely wingless or then with rudimentary wings, and by the shape of the flagellum, which is sub-clavate. In *Megaspilus* it is flagellate, i. e., tapers gradually to a point at apex.

(2) *Eumegaspilus Canadensis*, n. sp.

Female. Length .09 inch. Polished black ; the head and thorax only showing a delicate, reticulated sculpture under a high power lens. On the head are a few large punctures, particularly on the vertex, two small foveæ or depressions on each side of front ocellus ; occiput prominently margined ; eyes pubescent. The antennæ are 11-jointed, wholly brown-black ; flagellum sub-clavate, the first funicular joint longer than the pedicel, the others sub-equal but gradually widened, the terminal joint being the longest and thickest. Mesothorax with three grooves. Legs, including coxæ, of a uniform brownish-yellow. Abdomen highly polished with a depression near the base.

Described from one specimen.

(3) *Eumegaspilus Ottawensis*, n. sp.

This species is much like that just described, but it is more slender and more highly polished ; the head is impunctured, while the scape at base, the pedicel, the 2nd, 3rd and 4th flagellar joints, and the legs, including the coxæ, are honey-yellow. The rudimentary wings are linear and reach not quite to the middle of the abdomen.

Described from one specimen.

*Megaspilidea*, n. g.

This genus is at once distinguished from the others by having but one groove on the mesothorax—the median one, the parapsidal grooves not being present ; also by the difference in the flagellar joints.

(4) *Megaspilidea minuta*, n. sp.

Female. Length .04 inch. Head and thorax shining black, microscopically, reticulately sculptured. Eyes large oval, pubescent. Antennæ 11-jointed, scape ob-clavate, more than half the length of the flagellum ; flagellum sub-clavate, first joint hardly half the length of pedicel, others