ı

- 149. Peltis ferruginea Linn.
- 150. Nitidula obscura Fab.
- 151. " ossium Kby., same as 150.
- 152. "discoidea Fab. Subsequently described as Omosita inversa Lec., from California.
- 153. Ips Dejeanii Kby. is vittatus Say.
- 154. Choleva Spenciana Kby. is a Catops.
- 155. SCAPHIUM CASTANIPES Kby. is very rare. Occurs also in the White Mts., N. H.
- 156. Leiodes Punctatostriatus Kby. is Anisotoma indistincta Lec.
- 157. Corticaria DENTICULATA Khy. The name is preoccupied and was changed to Kirbyi Lec. It is probably DELETUS Mann.
- 158. Atomaria atra Steph. (Kby.) Incorrectly determined by Kirby and is probably a dark variety of LAETULA Lec.
- 159. Cryptophagus Humeralis Kby. is a Triphyllus, and is ruficornis Lec.
- 160. " CONCOLOR Kby. A variety of the preceding.
- 161. Attagenus CYLINDRICUS Kby. Belongs to a new genus, Perime-GATOMA Horn. Trans. Am. Ent. Soc., 1875, p. 135.
- 162. " pellio Linn.
- 163. Dermestes lardarius Linn.
- 164. " DISSECTOR Kby. is NUBILUS Say.
- 165. Byrrhus PICIPES Kby. Name is preoccupied and is now KIRBYI Lec.
- 166. " CONCOLOR Kby. Now known to us. Is not a variety of Cytilus varius Fab., but appears to be a small CYCLOPHORUS Kby.
- 167. " CYCLOPHORUS Kby.
- 168. " varius Fab. This is an erroneous determination. The species is CYTILUS TRIVITTATUS Mels.
- 169. Hydrobius fuscipes Linn.
- 170. "marginellus Fab. Probably an erroneous determination and may be Philhydrus fimeriatus Mels.
- melanocephalus Ol. An erroneous determination and is Philhydrus perplexus Lec. I have specimens from Mr. Pettit which correspond with Kirby's description of both the above species.
- 172. Hister Pavkulii Kby. is depurator Say.