

AN ANTISEPTIC VARNISH TO REPLACE COLLODION.

The *Journal des Praticiens* attributes the following to Nicaise :

R _x Thymol.....	22 ½ grains
Balsam of Tolu.....	75 grains
Powdered Shellac.....	500 grains
Alcohol at 90°.....	750 grains
Ether	1500 grains

M.—*N. Y. Med. Jour.*

PLEURISY.

Act most promptly in pleurisies with serous effusion of recent origin or of long standing, but they are efficient in simple dry pleurisy, and often act favorably in secondary pleurisy. An agreeable salicylic mixture :

R _x Potassii acetatis.....	ʒi-ii
Acidi salicylici.....	ʒss
Syrupi limoniis.....	ʒij
Elix. lactopeptine.....	ʒviij

Sig. : One tablespoonful every three hours.

ENDOCARDITIS ASSOCIATED WITH RHEUMATIC FEVER.

R _x Potass. bicarb.....	gr. xx
Tinct. hyoscyam	m xx
Aq. camphor.....	ʒj
Aq. destil., q. s. ad.....	ʒj—M.

R _x Quinin. sulph.....	gr. j
Ammon. carb.....	gr. ij
Potass. bicarb.....	gr. xx
Tragacanth.....	gr. iv
Aq. chloroform.....	ʒiv
Aq. destil., q. s. ad.....	ʒj

M. Sig. : To be taken three times a day or oftener.—
Med. Bullerin.