

S3. BETA-2 AGONISTS

All beta-2 agonists including their D- and L-isomers are prohibited. Their use requires a Therapeutic Use Exemption.

As an exception, formoterol, salbutamol, salmeterol and terbutaline, when administered by inhalation to prevent and/or treat asthma and exercise-induced asthma/broncho-constriction require an abbreviated Therapeutic Use Exemption.

Despite the granting of a Therapeutic Use Exemption, when the Laboratory has reported a concentration of salbutamol (free plus glucuronide) greater than 1000 ng/mL, this will be considered as an *Adverse Analytical Finding* unless the athlete proves that the abnormal result was the consequence of the therapeutic use of inhaled salbutamol.

S4. AGENTS WITH ANTI-ESTROGENIC ACTIVITY

The following classes of anti-estrogenic substances are prohibited:

1. **Aromatase inhibitors including, but not limited to, anastrozole, letrozole, aminogluthetimide, exemestane, formestane, testolactone.**
2. **Selective Estrogen Receptor Modulators (SERMs) including, but not limited to, raloxifene, tamoxifen, toremifene.**
3. **Other anti-estrogenic substances including, but not limited to, clomiphene, cyclofenil, fulvestrant.**

S5. DIURETICS AND OTHER MASKING AGENTS

Diuretics and other masking agents are prohibited.

Masking agents include but are not limited to:

Diuretics*, epitestosterone, probenecid, alpha-reductase inhibitors (e.g. finasteride, dutasteride), plasma expanders (e.g. albumin, dextran, hydroxyethyl starch).