rhea still prove obstinate, or should there be danger of Cholera, put 12 to 15 drops of Arsenicum into one tumbler of fresh water, and as many of Veratrum into another, and take a mouthful every half hour from the tumblers in alternation till the Diarrhea stops, then gradually lengthen the intervals between each dose.

There is one kind of Influe, za, characterized by profuse watery discharge from the head, corroding the nostrils, and accompanied by burning in the eyes. for which

Arsenicum is the specific remedy.

APOPLEXY.

Treated Homoopathically.

A homeopathic practitioner would be guided as to the means he would employ in the case of apoplexy, by the following considerations—whether the disease were traceable to plethora, debility, suppression of discharges, repelled eruptions, injuries, narcotic poisons, noxious vapors, or to mental emotions. When the face is flushed, eyes suffused with blood, with a dull, heavy headache, and roaring in the ears—Belladonna. When the pain in the head is severe, full pulse, and numbness of the limbs, or an occasional twitching—Aconite, Nux-Vomica. When the patient lies, as if in a profound sleep; face of natural appearance, pulse slow, and not increased in volume—Opium.* When caused by a blow or a fall—Arnica. When caused by suppressed discharges through cold; first Pulsatilla and Sulphur; then Opium, or Kalladonna. When caused by repelled eruptions—Sulphur Ipecac. When caused by debilitating losses—Cinchona. When caused by anger—Nux-Vomica Ignatia. When caused by fright—Ignatia, Pulsatilla, Artemisia. When caused by excessive joy—Opium, Coffea. When caused by narcotia poison, or the inhalation of noxious vapours,—vide list of remedies in any homeopathic work.

ADMINISTRATION.—To remove premonitory symptoms, give the drug indicated once or twice a day. If the symptoms appear urgent, the medicine may be repeated every three or four hours; during an attack the remedies should be repeated every three hours, until a favorable change takes place. Great benefit is obtained from cold applications to the head, and stimulating ones to the extremities, when the disease is accompanied with plethora.

^{*} I had the satisfaction within the last fortnight of bringing an aged and highly esteemed lady out of an apoplectic state, with a single dose of Opium She had lain in a profound sleep for forty-eight hours, from which it was impossible to arouse her; her pulse was nearly natural, (rather slow), and the extremities were cold. The drug was administered as follows: Two drops of Tinct. Opium, (Laudanum), were mixed in a tumbler, two thirds filled with cold water, and a teaspoonful given, which in less than fifteen minutes had the desired effect, to he great delight of her friends, who were watching her with the most intense anxiety.—M. Freligh, M. D.

In the event of any irregularity occurring in the delivery of this publication, the Editor requests that he may be addressed respecting it.

[&]quot;PULPIT CRITICISM," by the same author, sold at PATTERSON & Co.'s, 4 Adelaide Street West. Price \$1.50 per annum.