

HEADACHE POWDERS.

Directions for use as found on the label.	Remarks.	RESULTS OF ANALYSIS.					Remarks and Opinions of the Chief Analyst.
		Weight of Contents of one powder, grains.	Acetanilide = Anti-febrin, grains.	Phenacetin, grains.	Phenazone = Antipyrine, grains.	No. of Sample.	

Continued.

.....	Powder No. 1.....	4.8	None.	None.	None.	46012	Salicylic acid reaction. Apparently aspirin; meets requirements of P. or P. Act.
	" " 2.....	6.3	"	"	"		
Dose.—One powder dissolved in a little water. For severe headache repeat the dose once after a lapse of twenty minutes.	Powder No. 1....	5.5	"	Less		46013	Meets requirements of P. or P. Act. Phenacetin disguised as acetphenetidin.
	" " 2.....	5.8	"	than 5 grains			
Directions, for headache, one powder repeated in twenty to thirty minutes if necessary. For neuralgia, rheumatic pains, &c., one powder every two or three hours as required. For sleeplessness and nervousness, one powder on retiring, to be repeated in one hour if sleep is not produced. For children reduce dose according to age. They may be taken dry, on the tongue, followed by a little water.	Powder No. 1....	18.5	5.1	46014	Claims curative properties. Contain excess of acetanilide, but are protected by a stamp.
	" " 2.....	19.0	5.5				
.....	Powder No. 1.....	13.9	5.5	46015	See 42277. Acetanilide in excess of limit set by medical advisers of the department. Acetanilide declared. Conforms to P. or P. Act.
	" " 2.....	12.5	5.1				
Directions.—Take one powder dry on the tongue or in a little water, and repeat in half an hour if not relieved. Take as early in the attack as possible. Do not repeat needlessly.	Powder No. 1.....	14.6	2.0	None.	None.	46016	Curative properties claimed. Meets requirements of P. or P. Act.
	" " 2.....	17.0	2.5	"	"		