

*Special Consideration.*—The selection and quality of the ingredients, the methods employed in their combination, the formula itself and the constant unvarying uniformity of the finished product.

L. Vernon Briggs, M.D., Boston, Mass., Boston Med. and Surg. Jour., April 19th, April 26th, May 3rd, 1908.

J. C. Montgomery, M.D., Charlotte, N.C., Charlotte Med. Jour., March, 1897.

W. R. D. Blackwood, M.D., Philadelphia, Pa., Medical Summary, March, 1905.

Prof. B. S. Arnulphy, M.D., Paris, France, The Clinique, Sept., 1897.

David Walsh, M.D., London Med. Press and Circular, London, J. 4th, 1905.

Seth Scott Bishop, B.S., M.D., D.C.L., LL.D., Chicago, Ill.

M. E. Chartier, M.D., Faculty of Paris, France, June 12th, 1904.

H. McNaughton Jones, M.D., R.U.I., M.C.H., M.A.O., F.R.C.S. I., F.R.C.S., L.M.R.C.P.I., London, Eng., 3rd Edition, 1902.

*Manufacturers.*—The Kress & Owen Co., New York City.

## TREATMENT FOR INFLUENZA.

It is well known among medical men that rest, simple rest in bed, will cure a great many cases of influenza. Symptomatic treatment, however, gives the best results. The pain should be relieved by an anodyne. Quinine should be administered all through the attack, as it has a stimulating effect and antipyretic action and seems to destroy the bacillus. When the pain is severe, two antikamnia tablets every two or three hours will give much relief. To relieve the cough, when it is accompanied with a great deal of pain, one antikamnia and codeine tablet every two or three hours dissolved on the tongue, acts very promptly and successfully. That codeine had an especially beneficial effect in cases of cough, and that it was capable of controlling excessive coughing in various lung affections, was noted before its true physiological action was understood. Later it was clear that its power as a calmative was due, as Bartholow says, to its special action on the pneumogastric nerve. Codeine stands apart from the rest of its group, in that it does not arrest secretion in the respiratory and intestinal tracts. In marked contrast is it in this respect to morphine. Morphine dries the mucous membrane of the respiratory tract to such a degree that the condition is often made worse by its use; while its effect on the intestinal tract is to produce constipation. There are none of these disagreeable effects attending the use of Antikamnia and Codeine Tablets.