SENECIO PSEUDOAUREUS, Rydb.

In a marsh, east of Chilliwack Lake, B.C. No. 16,682. (J. M. Macoun.)

SENECIO IDAHOENSIS, Rydb.

Shady banks, mouth of Silese Creek, Chilliwack River, B.C. No. 26,685. (J. M. Macoun.)

SILPHIUM TEREBINTHINACEUM, L.

The reference in Part xv of these contributions should have been credited to J. Dearness instead of to C. K. Dodge.

AGROSERUS GREENII, (A. Gr.). Rydb.

On snow slides, Chilliwack Lake, B.C. No. 26,810. (J. M. Macoun.)

GAYLUSSACIA FRONDOSA, T. & G.

Edmonton, Ont. (Jas. White), Lincoln Co., Ont. (W. C. McCalla.) Sarnia, Ont., No. 54, 168. (John Macoun.) Not before recorded from Canada. Confounded with G. resinosa.

CASSIOPE STELLERIANA, DC.

Near the summit of Mt. Cheam, north of Chilliwack River, B.C. No. 54,160. (J. M. Macoun.) Recorded from but one other locality in British Columbia.

PTEROSPORA ANDROMEDA, Nutt.

One specimen of this widely distributed but very local species was collected near the Chilliwack River, B.C., in 1901 by J. M. Macoun.

ALLOTROPA VIRGATA, T. & G.

Very abundant in deep woods at Chilliwack Lake, B.C., at between 3,000 and 4,000 feet altitude. No. 54,149. (J. M. Macoun.) Our first specimens from the B. C. mainland.

HYPOPITYS FIMBRIATA, (Gray.)

Woods at about 1,500 ft. altitude, Chilliwack River, B.C. No. 54,173. (J. M. Macoun.) Recorded in Canada from Vancouver Island only.