On 5th May, 1949, the Conference set up a Drafting Committee with Mr. W. J. Evans (United Kingdom) as Chairman.

The final meeting of the Conference was held on 11th May, 1949.

ACTETINAL

As a result of the deliberations of the Conference, the following Reports were adopted with certain modifications and additions and will be set forth, with the modifications indicated in footnotes and the additions in annexures, in the published proceedings of the Conference:

- the Final Report of the Technical Committee (Doc. DENMARK—25, TE-14);
- the Final Report of the Financial Committee (Doc. DENMARK—26, FI-4).

" G. Shiwon New regiss Clas Reprisentants operat lav Belgique, the Cantrilles William - William of the Dance of the Control of

The Conference agreed that the Council should meet the request of the Government of Denmark, and to that end adopted the Resolution set out in Appendix I to this Final Act.

(Here follow the names of the Representatives of the International Al Ministrational Al Ministrational Al Ministration (No. 1) (No. 1)

The Conference also recommended that:

- (a) the Council should consider and take appropriate action on the recommendation of the Technical Committee as laid down in the final Report of that Committee referred to in Part I of this Final Act, especially with respect to the following:
- possible abandonment of the Meteorological Station at Søndre Stømfjord,
- effectiveness of the commercial radio facilities at Godthaab for meteorological transmissions;
- (b) Denmark should consider and take the necessary action concerning the recommendations of the Technical Committee especially in respect to the following:
 - possible reduction of operating and maintenance costs through reorganisation of staff and equipment at certain stations,
 - staff training,
- investigation into the reliability of pilot balloon observations in Greenland.

IV

The Conference took note of statements made by the Representatives of the Governments of Canada and Denmark as set out in Appendix II to this Final Act.