

- Telenomus podisi* Ashm.
Telenomus arzanæ Riley.
Telenomus sp. nov.
Telenomus sp.
Trissolcus euchiisti Ashm.
Acoloides saitidis Howard.
Acoloides bicolor Ashm.
Acoloides subapterus Ashm.
Acoloides seminiger Ashm.
Ceratobæus binotatus Ashm.
Bæus minutus Ashm.
Bæus piceus Ashm.
Bæus clavatus Prov.
Bæus americanus Howard.
Pentacantha canadensis Ashm.
Prosacantha melanopus Ashm.
Prosacantha Linellii Ashm.
Prosacantha sp.
Hoplogryon longipennis Ashm.
Hoplogryon minutissimus Ashm.
Hoplogryon brachypterus Ashm.
Hoplogryon obscuripes Ashm.
Hoplogryon solitarius Ashm.
Gryon borealis Ashm.
Gryon canadensis Ashm.
Gryon flavipes Ashm.
Calotelia Marlatti Ashm.
Calotelia sp. nov.
Calotelia sp. nov.
Macroctelia floridana Ashm.
Macroctelia virginensis Ashm.
Opisthacantha mellipes Ashm.
Hoplotelia floridana Ashm.
Scelio opacus Prov.
 One female; Racecourse, 1 Aug.
 Three males; Racecourse, 1 Aug.
 Thirty-one specimens from two eggs of *T. polyphenus*!
 Several from eggs of undetermined moth, on Hickory leaf, July.
 One female.
 Many specimens bred from spiders eggs.
 Female; from Dow's Swamp moss.
 Female; with above
 Several females.
 Abundant in Dow's Swamp moss.
 Taken with above, but rare.
 Type specimen.
 Female; under stone, Hull, 15 April.
 Two in June.
 From Dow's Swamp moss.
 Female; Kettle Island, 18 Aug.
 Female; Racecourse, 3 Aug.
 Female; Hull, 16 Aug.
 Several; Hull and Racecourse, August.
 Abundant in swamp moss in Nov. also taken in Aug.
 Three females.
 Four males; Powell's Grove and Hull, August.
 Abundant; Racecourse and Hull, Aug., also in moss.
 Abundant; Hull, Beechwood, Kettle Island, etc., Aug., and in moss in Nov.
 Four females
 Three males, twelve females; Hull, June and August.
 Three males, nine females; Racecourse, 29 August.
 Three females; Hull and Racecourse, August.
 Three males, one female; Hull and Kettle Island, July and Aug.
 One female; Hull, 5 Aug.
 One female.
 One female; Hull, 26 Aug.
 Three males; Hull and Kettle Island, August.