GREAT HORNED OWL (Bubo virginianus).—Not uncommon. Many each fall are shot and taken to taxidermists. I think subarcticus occurs as I have seen very light colored birds; pallescens, too, may occur as a straggler, and saturatus as a winter migrant, but I have not had material for exact sub-specific comparison.

BELTED KINGFISHER (Ceryle alcynn).—Breeds along the Sas-

katchewan and Waite-mud rivers.

HAIRY WOODPECKER (*Dryobates villosus*).—Reported as occuring at Edmonton by Mr. Spreadborough. Records by Mr. Atkinson and Mr. Spreadborough also refer many of the specimens to *leucomelas*. I found them nesting on May 12, 1912.

DOWNY WOODPECKER (Dryobates pubescens medianus).—More common during spring and summer than during winter. Mr. Spreadborough found them rather rare in 1897, but they were common

during the spring and summer of 1912 and 1913.

ARCTIC THREE-TOED WOODPECKER (*Picoides arcticus*).—Collected one specimen among the spruces along the Saskatchewan river on February 21, 1913. The only individual observed there.

YELLOW-BELLIED SAPSUCKER (Sphyrapicus varius).—Common

summer resident. Arrives early in May.

NORTHERN FLICKER (Colaptes auratus luteus).—Common sum-

mer resident. Arrives about April 21.

RED-SHAFTED FLICKER (Colaptes cafer).—I saw a mounted specimen of this species in the city, but failed to make inquiries as to where it was taken. It is probable that this or the hybrid flicker may occur in the Edmonton district. Mr. Taverner informs me that he found a strong infusion of cafer among the specimens he took at Red Deer, Alta., during the summer of 1917.

NIGHT HAWK. (Chordeiles virginianus).—Common summer

resident. Arrives about May 28.

CHIMNEY SWIFT (Chaetura pelagica).—Mr. Spreadborough

noted two individuals at Edmonton on May 17, 1897.

KINGBIRD (Tyrannus tyrannus).—Common summer resident. Arrives about May 24. Nest completed and full set of eggs by June 20.

PHOEBE (Sayornis phoehe).—Not very common. Arrives early in May.

SAY PHOEBE (Sayornis saya).—Observed by Mr. Spreadborborough in 1897. He collected two females, one on May 5, the other on May 7.

WESTERN WOOD PEWEE (Myiochanes richardsonii) .- Mr.

Spreadborough collected a male on June 2, 1897.

TRAILL FLYCATCHER (Empidonax traillii).—This form was met with by Mr. Spreadborough at Edmonton in 1897. First seen May 26, common by June 2. This bird is no doubt referable to the