Ohio, on the south shore of Lake Erie. Whether the members of this band were migrants from the shores of Hudson Bay and Lake Athabasca, far away to the northwest, or whether they had gathered there from the east or west it was of course impossible to say.

The next band to be observed was at Urbana, Illinois, September 12, 1902, also in the afternoon, but at a temperature of 55° Fahr., with a brisk northwest wind and clear sky. Either this or another band of butterflies of this species was reported at Milledgeville, Illinois, about 160 miles to the northwest of Urbana, three days prior, while evidently still another was reported at Hoopstown, Illinois, some 35 to 40 miles north-east, a few days later. Whether or not these all belonged to the same band of migrants, from whence they came, or how the members came to be associated together, is still an unsolved problem. At Urbana, the company moved away on the morning of the 13th, but the usual number were observed wandering about, in a perfectly natural way, during

The third migration, observed by the writer, took place on September 12, about 3 p.m., on the Mall in Washington, D.C. The weather was cold, with light n.w. wind, but the sky was un-This last, however, was not further investigated.

The daily press of Chicago, Illinois, September 13, one day prior to the occurrence in Washington, called attention to swarms of this butterfly observed congregating in the parks and gardens of the city and starting southward on their journey.

While it is true that this insect is of no economic importance, and of far too common occurrence to interest the collector, yet it seems to me that studies of the migrations of this species are well worth while, and the results would, beyond a doubt, prove of material aid in studying a similar habit in much more important The migration of insects is of itself an interesting problem, and a little care in observing and recording the appearance of these migrations and under what conditions these took place, would surely repay the many entomologists, amateurs and professionals scattered over Canada and the United States.

ON THE STATUS OF SOME SPECIES OF THE GENUS PANURGINUS.

BY J. C. CRAWFORD, WASHINGTON, D. C.

In a paper on the bees of Nebraska,* Messrs Swenk and Cockerell say that a comparison of cotypes of Panurginus nebrascensis with specimens of P. ornatipes shows that the two are synonyms and that P. boylei is a subspecies. The types of all of the involved

^{*}ENT. NEWS, XVIII., 183, 1'07.