

|    |            |    |    |                                                |     |     |                 |           |           |                                                                     |                                                     |                                                                                                         |
|----|------------|----|----|------------------------------------------------|-----|-----|-----------------|-----------|-----------|---------------------------------------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 73 | Mrs. S...  | F. | 48 | R. — 3'00<br>L. — 3'00                         | ... | ... | Exophoria       | 8         | 11° 35°   | Headache always brought on by use of the eyes. Has binocular vision | Tenot. L. ext. rec-tus                              | Some relief.                                                                                            |
| 74 | M. E. ...  | F. | 27 | R. — 3'50<br>L. — 5'00                         | ... | ... | Exophoria       | 23        | 22° 20°   | Headaches frequent and intense                                      | Tenot. both ext. rectus                             | Complete relief.                                                                                        |
| 75 | F. C. ...  | F. | 26 | R. 155° — 3'00 + 6'00<br>L. 45° — 3'50 + 6'00  | ... | ... | Hyper-phoria    | 8         | 2° 10°    | Headaches ...                                                       | Tenot. R. sup. rec-tus, later L. inf. rectus        | Headaches almost entirely relieved.                                                                     |
| 76 | Mrs. K...  | F. | 26 | R. — 7'00<br>L. — 7'00                         | ... | ... | Esophoria       | 16        | 7° 73°    | Headaches ...                                                       | Tenot. L. int. rec-tus, later tenot. R. int. rectus | One month later, headaches were not relieved, though muscular relations were normal. Greatly relieved.  |
| 77 | G. S. T... | F. | 20 | R. + 0'75<br>L. + 0'75                         | ... | ... | Exophoria       | 8         | 15° 17°   | Headaches. Chronic blepharitis                                      | Tenot. R. ext. rec-tus                              | Hyperphoria reduced to 2°, with prism correction of this is perfectly comfortable. Completely relieved. |
| 78 | L. G. ...  | M. | 17 | R. + 0'50<br>L. + 0'50                         | ... | ... | Hyper-phoria    | 7         | 6° 19°    | Headaches and asthenopia                                            | Tenot. R. sup. rec-tus                              | Hyperphoria reduced to 2°, with prism correction of this is perfectly comfortable. Completely relieved. |
| 79 | L. S. ...  | F. | 32 | R. Emmetropia<br>L. 90° — 0'25 + 4'00          | ... | ... | Exophoria       | 10        | 15° ?     | Asthenopia and blepharitis                                          | Tenot. L. ext. rec-tus                              | One year later reports complete relief.                                                                 |
| 80 | Miss V...  | F. | 35 | R. 135° — 0'25 — 5'00<br>L. 180° — 0'50 — 5'50 | ... | ... | Exophoria       | 12        | 17° 25°   | Asthenopia and frequent attacks of conjunctivitis                   | Tenot. both ext. recti at interval of 3 days        | Complete relief.                                                                                        |
| 81 | H. V. B.   | M. | 15 | R. Emmetropia<br>L. Emmetropia                 | ... | ... | Hyper-exophoria | 7 ex. 10  | vari-able | Headaches and asthenopia                                            | Tenot. L. inf. recti. Advancemen L. int. rectus     | Considerable relief 6 months later.                                                                     |
| 82 | Miss R...  | F. | 20 | R. 180° — 3'50 + 0'50<br>L. 180° — 3'50 — 0'25 | ... | ... | Hyper-phoria    | 3½        | 9° 30°    | Frequent neuralgia and occasional sick headache                     | Tenot. R. sup. and L. inf. rectus                   | Some relief at the time. Final result not known. Final result not known.                                |
| 83 | F. C. ...  | F. | 25 | R. 180° — 1'0 — 6'00<br>L. 90° — 0'50 — 5'00   | ... | ... | Hyper-exophoria | 10 ex. 20 | ? ?       | Headache and asthenopia                                             | Tenot. L. sup. rec-tus; tenot. L. ext. rectus       | Some relief at the time. Final result not known. Final result not known.                                |
| 84 | T. H. B.   | F. | 25 | R. 180° — 3'00<br>L. 180° — 3'00 + 1'50        | ... | ... | Esophoria       | 5         | 3° 53°    | Headache ...                                                        | Tenot. L. int. rec-tus                              | Some relief. Final result not known.                                                                    |