

administer to children, for whom the dose can be easily reduced with any liquid, or by actual measurement. It possesses many advantages not shown by any other preparation I have used, and has none of their disagreeable features.

In citing some of the cases treated with this remedy, I shall not go into a minute description of any case, but briefly state the conditions which existed and the results obtained, which were uniformly good.

Case 1.—S. B., aged sixteen. Caught a severe cold while travelling. This developed into an unusually severe attack of bronchitis with mucous rales, pain, cough and some slight fever. Prescribed Glyco-Heroin (Smith), one teaspoonful every two hours, decreased to every three hours. After a few doses were taken there was a decided improvement, the respirations were slower and deeper, the expectoration freer and the temperature normal. In a few days the patient was practically well and able to return to school. No medicine except Glyco-Heroin (Smith) was given, and the results from its use were excellent.

Case 2.—W. L., aged thirty-one. Acute bronchitis. Painful cough, with difficult expectoration, particularly when in a reclining posture. Glyco-Heroin (Smith) in teaspoonful doses every three hours gave speedy relief and a cure was effected in a few days.

Case 3.—S. W., aged sixty. Chronic bronchitis. Had coughed for years, with expectoration of a thick, yellow purulent and very offensive matter. Had lost flesh gradually until about twenty pounds below usual weight. No appetite, very constipated, pains all over chest, night sweats and insomnia. Patient on the verge of nervous prostration and greatly weakened. She was given bromides, a tonic, and Glyco-Heroin (Smith), the latter in the usual dose at intervals of two hours. The first few doses were not well borne, as they seemed to cause some nausea, but by giving a smaller dose and then gradually increasing it, tolerance was soon obtained, and the results were remarkable. The cough and expectoration greatly decreased, the appetite improved and the patient became much better in every way. The treatment was continued as before, except that