

but none of them had been re-vaccinated. Other observers state that persons without cicatrices of a former vaccination form the majority, or even all, oft he number attacked.

The proportion of hæmorrhagic cases has been unusually large in this epidemic, not only here but in other parts of the world ; indeed, it has been the most virulent type of small-pox known since the beginning of the century.

In the small-pox department of the Montreal General Hospital there were admitted from Dec. 14th 1873, to July 21st 1875, one year and seven months, 260 cases. Of these 24 died of the variety under consideration, or 9.23 per cent.

Case.	Age.	Sex.	Unvac.	Vac.	Day of Death.	REMARKS.†
1	27	F.	V*	8th	Delirium. Hæmatemesis.
2	28	F.	V ₁	6th	Epistaxis. Melæna, Hæmoptysis.
3	29	M.	Unv.	8th	Delirium. Melæna.
4	53	M.	V.	3rd	No papules evident. Died 3½ hours after admission.
5	20	F.	Unv.	6th	Epistaxis two days before. Slight convulsions.
6	19	M.	V ₂	7th	Hæmaturia.
7	35	M.	V ₂	9th	Much Delirium. var. hæm. pust.
8	20	M.	V.	6th	No mucous haemorrhages.
9	19	M.	Unv.	7th	Delirium. Melæna, frequent.
10	24	M.	Unv.	8th	Hæmatemesis. Melæna.
11	25	M.	Unv.	9th	Epistaxis. Melæna. Hæmatemesis. Var hæm. pustulosa. Hæmoptysis Old lung disease.
12	..	F.	V ₂	8th	Hæmaturia. Melæna. Hæmoptysis.
13	23	M.	7th	Epistaxis. Hæmoptysis.
14	22	M.	V ₂	4th	Hæmaturia. Hæmoptysis. Melæna.
15	20	M.	V	9th	V. hæm. pustulosa. Hæmaturia. Hæmatemesis.
16	21	M.	V ₁	5th	No mucous haemorrhages.
17	19	F.	Unv.	9th	V. hæm. pustulosa. Hæmaturia
18	44	M.	Unv.	5th	Hæmatemesis.
19	24	M.	Unv.	5th	No mucous haemorrhages.
20	36	M.	V ₁	6th	Hæmaturia. Metrorrhagia.
21	6	M.	Unv.	4th	Delirium. No mucous haemorrhages.
22	35	M.	V.	7th	Hæmatemesis.
23	16	M.	Unv.	4th	No mucous haemorrhages.
24	30	M.	Unv.	7th	Hæmaturia. Hæmatemesis. Hæmoptysis,
25	4	F.	Unv.	6th	Hæmatemesis.
26	36	M.	Unv.	6th	Hæmaturia. Melæna
27	6	M.	Unv.	5th	Hæmaturia. Hæmatemesis.

* The figures indicate the number of scars.
† Cutaneous extravasations occurred in all.