

Public Buildings—Quebec.	Grant.		Expenditure	Page in Part II.	Grant not used.		Grant exceeded.	
	\$	cts.			\$	cts.	\$	cts.
Chicoutimi Marine Hospital	3,700	00	} 5,766 22	253 c	706	} 22 a
Supplementary vote	1,350	00						
Grosse Isle Quarantine Station.....								
Supplementary vote	3,300	00	1,938	55	253	1,361	45	
Hull Public Building.....	4,000	00	150	00	253	3,850	00	
Lévis Immigrant Buildings.....	15,000	00	1,784	09	253	13,215	91	
Montreal Custom House.....	600	00	1,983	38	253			1,383 38
do Drill Shed and Armories.....	27,000	00	} 51,590 80	253 b	11,590	80	
Supplementary vote.....	13,000	00						
do Dominion Buildings—Improvements.....	4,000	00	5,948	70	254 d	1,948	70
do Immigrant Buildings.....	15,000	00				15,000	00	
do Examining Warehouse.....	28,000	00	} 65,129 70	254 b	30,129	70	
Supplementary vote.....	7,000	00						
do Post Office.....	5,000	00	5,402	61	255 c	402	61
do Assistant Receiver-General's Office.....	2,650	00	2,667	87	255 c	17	87
Quebec Citadel.....			4,681	11	256 d	4,681	11
do Dominion Buildings.....	2,400	00	1,365	81	256	1,034	19	
do Queen's Wharf Buildings.....	600	00				600	00	
do Examining Warehouse.....	30,000	00	27,878	65	256	2,121	35	
do Military Buildings and Drill Shed.....	15,000	00	22,387	10	256 b	7,387	10
St. Vincent de Paul Penitentiary.....	44,200	00	28,037	90	257	16,162	10	
Sherbrooke Public Buildings.....	20,080	00	17,420	79	258	2,579	21	
Sorel Public Buildings.....	10,000	00	13,237	64	259 b	3,237	64
Three Rivers—Conversion of Custom House into Post Office.....	3,550	00	8,008	46	259 b	4,458	46
Balance from 1883-84, used to Sept. 30, 1884.	59,766	10				59,766	10	
	315,116	10	265,369	38	49,746	72	a
Votes 104 and 320 of 1884; 251 of 1885; "Hazard," 1884, pages 1193 and 1605; 1885, page 3480; Public Accounts, page 298.								

a. Carried to 1885-86. b. Work proceeded with more rapidly than anticipated when appropriation was asked. c. Cost of work in excess of estimate. d. Work done in excess of what was originally intended.

This account has been examined under my directions, and is correct.

J. L. McDOUGALL,
Auditor-General.

Examined,
J. H. BALDERSON.