

return to school. No medicine except Glyco-Heroin (Smith) was given and the results from its use were excellent.

CASE 2. W. L., aged 31. Acute bronchitis. Painful cough, with difficult expectoration, particularly when in a reclining posture. Glyco-Heroin (Smith) in teaspoonful doses every three hours gave speedy relief and a cure was effected in a few days.

CASE 3. S. W., aged 60. Chronic bronchitis. Had coughed for years, with expectoration of a thick yellow purulent and very offensive matter. Had lost flesh gradually until about twenty pounds below usual weight. No appetite, very constipated, pains all over chest, night sweats and insomnia. Patient on the verge of nervous prostration and greatly weakened. She was given bromides, a tonic, and Glyco-Heroin (Smith), the latter in the usual dose at intervals of two hours. The first few doses were not well borne, as they seemed to cause some nausea, but by giving a smaller dose and then gradually increasing it, tolerance was soon obtained, and the results were remarkable. The cough and expectoration greatly decreased, the appetite improved, and the patient became much better in every way. The treatment was continued as before, except that the Glyco-Heroin (Smith) was given every three hours. In three weeks the patient was eating almost everything she pleased, and sleeping well. The night sweats had stopped, together with the cough, and, as the patient expressed it, she "felt like another woman." At present she is in perfect health and needs no medicine except an occasional laxative.

CASE 4. B. E., aged 26. Severe bronchitis accompanying an attack of influenza. Various remedies were tried in this case, with negative results, until Glyco-Heroin (Smith) was given in teaspoonful doses every three hours. In a short time decided relief was obtained and the cough stopped permanently.

CASE 5. R. L., aged 6. Capillary bronchitis with pains over chest, cough and difficult expectoration. Glyco-Heroin (Smith) administered 15 drops every 3 hours. After taking a few doses the condition was much improved, and a speedy return to perfect health followed.

CASE 6. W. H., aged 5. Whooping cough. Spasmodic paroxysms of coughing, sometimes being so severe as to cause vomiting. Tenacious mucus was present, requiring great expulsive effort to loosen it. There was little fever, but the patient was much prostrated and weakened by the cough. Glyco-Heroin (Smith) was given in 10 drop doses every two hours with good results. This was combined with hygienic treatment, the patient being given as much fresh air as possible. In a few days the condition was much ameliorated, the cough under fair control, expectoration was freer and easier to raise, and convalescence uneventful. The case was discharged cured and there were no unpleasant sequelæ, the patient at present being in perfect health.