CHAPTER IV.

MUSTELINÆ—Continued: THE WEASELS.

The genus Putorius—Generic characters and remarks—Division of the genus into subgenera—Analysis of the North American species—The subgenus Gale—Putorius vulgaris, the Common Weasel—Synonymy—Habi*at—Specific characters—General characters and relationshipe of the species—Geographical distribution—Habits—Putorius ermines, the Stoat or Ermine—Synonymy—Habitat—Specific characters—Discussion of specific characters and relationships—Table of measurements—Note on the skull and teeth—Description of external characters—Conditions of the change of color—General history and habits of the species—Its distribution in the Old World—Putorius longicauda, the Long-tailed Weasel—Synonymy—Habitat—Specific characters—Description—Measurements—General account of the species—Putorius brasiliensis frematus, the Bridled Weasel—Synonymy—Habitat—Specific characters—General account of the species

9

CHAPTER V.

MUSTELINÆ—Continued: THE AMERICAN FERRET.

The subgenus Cynomyonax—Subgeneric characters—Putorius (Cynomyonax) nigripes, the American or Black-footed Ferret—Synonymy—Specific characters—Habitat—General account of the species—ADDENDUM: On the species of the subgenus Putorius—P. fætidus, the Polecat or Fitch—Synonymy—Description—P. fætidus var. juro, the Ferret—Synonymy—Remarks—Ferret breeding and Landling—P. fætidus var. eversmanni, the Siberian Polecat—Synonymy—Remarks—P. surmaticus, the Spotted Polecat—Synonymy and remarks

147

CHAPTER VI.

MUSTELINÆ-Continued: THE MINK.

The subgenus Lutreola—Subgeneric characters and remarks—Putorius vison, the American Mink—Synonymy—Habitat—Specific characters—Description of external characters—Measurements—Variation in external characters—Variation in the skull—Comparison with the European Mink—Notice of allied Old World species, P. Intreola and P. sibiricus—General history and habits of the Mink—"Minkeries".

158