

## **B. DETAILED APPROACH**

### **B 1. The inspection mandate**

The inspection team was given full access to the complex.

### **B 2. Composition of the inspection team**

The inspection team consisted of 7 persons:

- an official of the Ministry of Foreign Affairs responsible for CW negotiations;
- two members of the Netherlands CD delegation, including a chemical weapons specialist;
- three specialists from the Prins Maurits Laboratory TNO;
- a chemical process engineer.

### **B 3. Inspection equipment**

The following instruments were used for on-site analysis:

- a water-testing kit that can be used to detect categories 1-6 in Schedule [1] and chemicals 1 and 2 in Schedule [3];
- a gas reconnaissance kit that can be used to detect categories 1-6 in Schedule [1] and chemicals 1-3 in Schedule [3].

A description of the detection limits of these kits is attached as annex 1 to CD/924 (CD/CW/WP.251).

The instruments used for off-site analysis are referred to in para 18.

### **B 4. Activities prior to the arrival of the inspection team on-site**

A routine inspection of one of the production units of the complex had taken place (CD/924, CD/CW/WP.251).

### **B 5. Advance preparations on-site**

### **B 6. Escort and points of contact arrangement**

During the trial inspection and the preparations the inspection team was accompanied by members of the management and staff of the company operating the facility.

### **B 7. Other participants**