

SALTRHEUM, ECZEMA.

This is generally caused by external irritation, or by disorder of the internal organs.

Symptoms:—It usually begins in the shape of scattered red specks or pimples, which soon run together, and in a short time begin to exude a watery fluid. The eruption is always very itchy and causes an irresistible desire to rub and scratch the diseased skin. After a short time crusts are formed, first thin and scattered, but are soon united into thick yellowish or brownish-yellow layers, which may spread so as to cover almost the entire body. It appears in all stages and ages.

Treatment:—

INTERNAL.

| | |
|-------------------------|-----------------|
| One heaping teaspoonful | Saraparill Root |
| One " " | Guajac |
| One " " | Juniper Berries |
| One " " | Burdock Root |
| One " tablespoonful | Licorice Root |
| One " " | Sennae Leaves |

Take a tablespoonful every three hours until the bowels get loose; lessen the dose gradually to four tablespoonfuls a day. (Prepare as Directed on Page 20)

DRY TETTER, PSORIASIS.

Symptoms:—Scaly white patches appear, most frequently upon the outer surface of the elbows and the front surface of the knees, usually circular or oval in shape, and often surrounding a part of healthy skin. Often the white patches may spread over the trunk and limbs, and even over the entire person. These patches may vary in size, but can usually be recognized by gently scraping them with the fingernail, so as to remove the scales, when a few bleeding points will appear underneath.

Treatment:—

INTERNAL.

| | |
|---------------------------|-----------------|
| One heaping tablespoonful | Walnut Leaves |
| One " " | Burdock Root |
| One " " | Guajac Wood |
| One " " | Blessed Thistle |

Take four to six tablespoonfuls a day. (Prepare as Directed on Page 20)