

MAPLE SYRUP.

Inspector's Report. (Is not an expression of opinion).	Results of Analysis.						No. of Sample.	Remarks, and Opinion of the Chief Analyst.
	Water.	Solids.	Least Number Canadian.	Calculated to Water Free Basis.				
				Total Ash.	Water Sol- uble Ash.	Insoluble Ash.		

included.

	p. c.	p. c.		p. c.	p. c.	p. c.	p. c.		
.....	34.71	67.29	3.58	1.08				56337	Genuine.
.....	33.79	66.21	3.10	1.25				56338	"
.....	33.49	66.51	3.69	1.07				56339	"
.....	33.79	66.21	3.92	1.10				56340	"
.....	33.46	66.54	3.59	0.85				56341	"
.....	34.83	68.17	2.28	0.99				56342	"
.....	33.59	66.41	3.00	0.75				56344	"
.....	32.54	67.46	4.84	1.30				56356	"
.....	32.14	67.86	8.0	1.28				56359	"

E. AUDET, O. BROCHU, T. GENDREAU, N. CADIEUX, TEMPORARY INSPECTORS.

.....	32.20	67.80	2.19	0.89				3829	Genuine.
.....	29.55	70.45	3.64	0.81				3831	"
.....	29.90	70.10	3.24	1.04				3834	"
.....	29.88	70.11	3.21	1.04				3544	"
.....	30.74	69.26	3.30	0.74				3545	"
.....	34.30	65.70	3.36	1.02				3552	"
.....	32.54	67.46	3.40	1.32				3558	"
.....	33.88	66.11	3.46	0.80				3559	"
.....	34.94	65.06	4.04	0.98				3567	"
.....	33.88	66.11	4.04	1.04				3574	"
.....	31.39	68.61	5.20	0.93				3578	"
.....	33.00	67.00	3.94	1.09				3581	"
.....	30.85	69.15	2.78	1.14				3832	"
.....	34.49	65.51	3.84	1.16				2763	"
.....	31.33	68.67	2.40	0.82				2767	"
.....	33.51	66.49	3.48	1.32				267	"