

granulate-punctate, rather densely hairy, with a wide, shallow, transverse impression between the eyes, and a shining median space towards the vertex; the eyes oblique, very narrow, and broadly emarginate in front; the antennal scape sparsely hairy without, the club wide, marked with three distinct, bisinuate sutures which are densely fringed with long bristle-like hairs; as broadly rounded at the tip as at the base, rather densely punctured below.

The *pronotum* is very slightly longer than wide, 10:9; with the base very broadly rounded; the hind angles broadly rounded; the sides slightly arcuately narrowed or nearly parallel for over two-thirds their length, then obliquely narrowed and slightly bisinuate in front; rounded on the front margin; the asperities of the cephalic half of varying size, the largest more or less concentrically arranged; the caudal half coarsely, closely and deeply, but not roughly punctured; thickly clothed with long hairs in front and about the sides.

The *scutellum* is minute, elongate, faintly channelled and shining.

The *elytra* are parallel for the greater part of the length, then rounded to the strongly produced, dehiscent and submucronate tip; densely clothed with long light hairs about the sides and around the margin of the declivity; with the elytral striae distinctly impressed, narrow, with deeply impressed, closely placed punctures of median size; the sutural striae a little more strongly impressed than the others, strongly divergent and widened behind; the interspaces very wide, not distinctly convex, except the first two, which are also more strongly granulate near the declivity; *the wide interspaces all confusedly punctured*, more sparsely on the disc towards the base, very densely and roughly on the sides and about the declivity; the declivity oblique, deeply concave, with the tip strongly produced; the first tooth, on the second interspace, acute, distinct and preceded by a row of granules; the third interspace with a row of granules at the top of the declivity; the second tooth, on the fourth interspace, large, conical, acute, adjacent but not united to the third; the third tooth very long, wide, compressed, with the sides parallel and the tip deeply emarginate, representing the united teeth of the 5th and 6th interspaces; the fourth tooth smaller than the second, conical, blunt, nearer to the third than