

Selections.

PELVIC CONGESTION AND CONSTIPATION.

R	Magnesia sulphate	℥j
	Iron sulphate	grs. xx
	Manganese sulphate	grs. xx
	Dilute sulphuric acid.....	℥iij
	Aquæ	℥iv

M. Sig.—A tablespoonful in a wineglassful of water before breakfast.—*Med. News.*

A MIXTURE FOR EPILEPSY.—The February number of *Pediatrics* gives the following:

R	Sodium bromide.....	60 parts;
	Sodium bicarbonate	75 "
	Tincture of physostigma	25 to 50 "
	Water	500 "
	Saccharin.....	1 part.

M. Dose. a tablespoonful, diluted with water, morning and evening; after four days, suspend its use for three days and then begin again.

AN OINTMENT FOR ACUTE ARTICULAR RHEUMATISM —Lemoine (*Nord Médical; Tribune Médicale*, February 9th) gives the following among other formulæ:

R	Vaseline.....	25 parts;
	Salicylic acid.....	4 "
	Sodium salicylate	3 "
	Extract of belladonna	1 part.

M. To be applied and covered with cotton —*N. Y. Med. Jour.*

A RESOLVENT MIXTURE.—The *Gazette hebdomadaire de médecine et de chirurgie* for February 27th, gives the following formula:

R	Ammonium chloride	} each	10 parts;
	Tincture of arnica		
	Camphorated vinegar,	} each	75 "
	Camphorated brandy,		
	Infusion of rue		300 "

M. S.: For external use.—*N. Y. Med. Journal.*