# THE CANADA MEDICAL RECORD.

### VOL. XIV.

## MONTREAL, MAY, 1886.

No. 8.

#### ORIGINAL COMMUNICATIONS.

Clinical Lecture	205
PROGRESS OF SCIENCE.	
Treatment of Acute Infantile Bron-	
chitis	507
Hendache	511
On the Treatment of Furuncies	513
Diarrhma and Dyssentery in Childr n.	514
The Treatment of Profuse Hæmopty-	
sis	515
The Management of Placenta Pravia.	516
Treatment of the Chancroid	516
A New Method for the Removal of	0.00
Foreign Bodies from the Nose	517
The Prevention of Baldness	517
Vaccination	518
	919
menus - la resta passar restar	

## ONTENTS

Chiene's Contributions to Practical	
Surgery	518
Nitro-Glycerin in the Cold Stage of	
Intermittent Fever	519
Pneumonia Treated by Intraparen-	
chymatous Injectious	-519
Massive Doses of Digitalis in Lobar	
Pneumonia	-520
Some Points in the Practice of Arti-	
ficial Respiration in cases of Still-	
birth and of Apparent Death after	
Tracheotomy	520
Diabete- Mellitus Successfully Treat-	
ed with Boracic Acid	520
A Hinton the Treatment of Ringworm	521
Inbercular Meningitis cured by lodo-	
	F 01

----

	The Prevention of Mammary Abscess	521
18	Dover's Powder and its Modifications	522
	Pruritus of Women-Local Treatment	522
9	Hypodermie Injections of Cold Water	
	in Sciatica	522
19	Hot Water in Acute Prostatitis	522
	Venesection	522
20	Modification of Dover's Powder	523
	EDITORIAL.	
	Montreal General Hospital	528
	Proposed Change in the Quebec Col-	
:0	lege of Physicians and Surgeons	524
	Alexander's Operation	62 <b>5</b>
20	College of Physicians and Surgeons,	
21	Province of Quebec	525
	Personal	527
21	Local and General	528

Original Communications.

form.

CLINICAL LECTURE.

Delivered at the Montreal General Hospital February 23rd 1886.

BY FRANCIS W. CAMPBELL, A.M., M.D., L.R.C.P. L.

(Dean of and Professor of the Theory and Practice of Medicine in the Medical Faculty of Bishop's College.

#### ECZEMA.

GENTLEMEN,-The woman now before you came to the Out-door Clinic yesterday, complaining of the rash on the back of her neck, which I now show you. She has had it for some time, and its irritation has been the source of much annoyance to her. The disease is eczema, which may be acute or chronic, and has several sub-divisions, -usually four : 1. Eczema Erythematosum. 2. Eczema Vesiculosum. 3. Eczema Papulosum. 4. Eczema Pustulosum. The case now before you is of the first variety, viz., Eczema Erythematosum. It is a distinct inflammation of the skin, characterized by a somewhat inflammatory surface-some infiltration, swelling and itching, and terminating in desquamation or shedding of the skin. It is perhaps the most common variety which we meet with, and has a strong tendency to become chronic. Slight moisture is, upon rare occasions present, but as a rule the disease remains dry throughout. The disease is curable, and the means used must be both constitutional and local. In cases of not very long duration saline aperients, as sulphate of magnesia, cream of tartar and Rochelle salts, should be given. When the disease occurs in childrenr, hubarb is especially recommended. Diuretics are also | advised, as acctate of posash and liq. potassæ. Various mineral waters, as the Saratoga, Vichy and Carlsbad, are beneficial.' In worn-out, debilitated subjects, iron, quinine, and cod liver oil, are very valuable. Arsenic should be given in very Local treatment must always be followed. In the variety now before you the following lotion will be prescribed, and I believe will act beneficially :

521 521

R. Acid carbolic, 3 ss ; glycerinæ gtt. xv ; alcoholis, 3 1; aquæ, 3 iv. M. ft. lotio. Apply several times a day by means of a small sponge.

This patient, gentlemen, possesses a double interest to us, inasmuch as while coming to get relief for one disease our attention is attracted to a second disease from which she is suffering. Although the disease is considered a surgical one it is rarely bad enough to fall into the hands of an operating surgeon. Most generally the physician is called upon to treat it, and for this reason I draw your attention to it. As she bares her neck you will notice a distinct swelling over the front of the throat-that is over the situation of the thyroid gland. This disease is known as goitre or bronchocele, and is much more common in women than in men. In fact during all my experience I can only recall two or three cases in males, while I have seen many hundreds in females. The cause is thought to have some connection with the locality in which the patients live. It is said that low, moist situations favor it, while high, airy places are extempt. In this city it was very common some years ago, and is still often met with on the flat which commences where this hospital stands, and which ends at the foot of the hill-which terminates at Sherbrooke street. It was believed to have been